

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.






# Seed: Company's Garden Annual.

121 West Second Street,

Ottumwa, Ilowa.

1904.

Garden, Farm & Flower Seeds



Fresh, Pure and Tested Seeds

### Bulbs of the Bardier Sort

for Both Spring and Fall Planting.

LINEUSWEUSWEUS

-OUR MOTTO:-

Mot How Cheap but How Good,

And Always Just a Little Better than Anybody Else Will Give You.

Ottumwa Blank Book Co., Printers





## Established in 1903.

Our business was far better during the year just past than our most sanguine hopes dared to anticipate. The coming season bids fair to be better for us all, and we have taken time by the forelock and we are now prepared to take care of our friends and patrons in greater numbers than ever before.

## Our Prices

Are as low as any one can furnish strictly first-class Seed, and we will send you nothing else. The prices given in this Catalogue are the prices charged at our store. If wanted by mail, purchaser must add 8c. per lb, or 15c. per quart for postage.


## How to Gend Money.

Always send by Draft, Money Order or Registered Letter. Never send Currency or Personal Checks. Postage Stamps taken for small amounts. Your remittance must always accompany the order. Don't fail to give name and address plainly. If you don't hear from us in a reasonable time write us again, for perhaps you omitted to give name or address.

182

38%

### FRESH, PURE, TESTED SEEDS



## Retail Catalogue

## GARDEN SEEDS

Cheap, unreliable Seeds are dear as a gift. Don't risk your crop by buying them. Our seeds can be depended on as to growing and quality

OUR MOTTO: Best Varieties, Purest Stocks, Highest Tests, Strongest Vitality, Not Lowest but Honest Prices.

#### **VEGETABLE SEEDS**

#### **ASPARAGUS**

CULTURE—Sow the seed thinly in rows one foot apart in April or May, and keep down all weeds. To secure strong healthy plants thin out the seedlings to three or four inches in the rows, saving only the strongest. The one-year-old plants should be set out in spring, in a rich sandy loam, dug eighteen inches deep, into which has been worked plenty of well rotted manure. If a stiff clay soil is all that can be had add plenty of sand and sifted coal ashes to loosen it up, and also see that it is well underdrained. In planting for private use, set out in beds five feet wide, three rows in a bed, the outer being one foot from the edge and allow twelve inches in the rows; set the plants at least six inches below the surface.

1		pkt	OZ.	1/4 lb.	1 lb
	Conover Colossal. The most approved and standard sort; large	\$ 05	\$ 10	\$ 15	\$ 50
V	Palmetto. Of southern origin; a very desirable bright green asparagus; early	05	10	20	60
V	Barr Mammoth. Has very large tender stalks of a very light color	05	10	20	60
,	Columbian Mammoth White. Choice variety; stalks white. good quality	05	10	25	75
1	Fine two-year roots of the above four varieties, \$1.00 per 100, \$6.50 per 1000.			-	

#### ARTICHOKE


CULTURE—Deep rich sandy loam with plenty of well rotted manure. Sow seeds in April and May, and when large enough transplant into rows three to four feet apart and two feet in the rows. They reach maturity the second year. Cover with litter when cold weather commences, first tieing up the leaves so that they will occupy less space, and in spring fork in a dressing of manure. It is an excellent vegetable and easily grown, thriving in any situation, providing the heads are cut off and used as they get ready.

pkt Per oz. ½1b. Per lb.

French Globe. The standard and best variety 5c \$0 25 \$0 75 \$3 00

½ bu. ½ bu. Per bu.


Jerusalem Artichoke. Tubers only; used for pickling and stock \$1 00 \$2 00



#### BEET

Ready for table use in 40 to 60 days.

CULTURE—Sow as early in the spring as the ground can be worked, and every two weeks after for a succession up to the first week of July. For general crop sow about the middle of May. The soil should be light sandy loam, well enriched with stable manure and plowed and harrowed until very fine. Sow in drills one foot to fifteen inches apart, and when well up thin to from four to six inches. The young beets pulled out of the rows are excellent used as Spinach.



Edmand Blood Turnip. A market gardner's strain

executetti used as opinacii.				
	okt	OZ.	¼ 1b.	1 lb.
Extra Early Egyptian. Very early				
and of dark blood color, rather				
/ flat in shape	05	\$ 10	\$ 20	\$ 50
Extra Early Eclipse. Very early;				
round rooted and dark red; one				
of the very best	05	10	20	50
Lentz Extra Carly Turnip. A				
large small top round beet; fine				
strain; none better	05	10	20	50.
Dewing Early. Of fine form,				
flavor, and good for market	05	10	20	50
Bastian. A very early light col-				
ored turnip beet; fine market				
variety	05	10	20	50
n of great regularity in shape; deep				
. or ground and an endport	05	10	20	- 50
tops large; flesh pink, zoned with	3			
,				- 50


#### BEETS-MANGEL-WURZEL, SUGAR, ETC.



#### BEANS

As a farinacious food for man, the bean is considered far superior to any other legume, and next in importance to wheat. The modern varieties leave little to be desired; the great care given to their improvement has resulted in many superior sorts, greatly extending the season of use, as well as varying the quality or flavor. The rearing of a really dwarf form of the Lima Bean is one of the greatest recent advances.

DWARF WAX BEANS Ready for use in 35 to 45 days.						
	pkt	pt.	qt.	pk.	bu.	
Dav's White Wax. Very hardy, productive long pods, very handsome.				1000		
rustless, fine shipper, best canner; in all points the best Wax Bean	05	\$ 15	\$ 25	\$1 75	\$6 50	
Golden Wax. Best known Wax Bean: very early, fine podded.	05	15	25	2 00	6 50	
German Black Wax. Has great morit, very tender and best quality	05	15	25	2 00	6 50	
Black-Eyed Wax. A cross between Golden and Black Wax; very early	-					
and very productive; yellow pods	05	15	25	1 75	6 50	
Improved Prolific Black Wax. Very early and prolific. The pods are						
round, full, stringless, and of fine quality	05	15	25	1 75	6 50	
Challenge Black Wax. An extra early strain of the Dwarf Black Wax.	05	15	25	1 75	6 50	
Bismarck Black Wax. Resembling in growth Wardwell Kidney Wax	05	15		1 75	6 50	
Detroit Wax. Very much like Golden Wax, but less liable to rust	05	15		1 75	6 50	
Flageolet Wax. Flat, yellow, stringless pods of great length and breadth;	00	10	20	1 .0	0 00	
exceedingly productive	05	15	95	1 75	6 50	
Grinnell's Improved Golden Wax. Very early; round, golden pods;	00	10	20	1 10	0 00	
Golden-Eyed Wax. Very hardy and prolific, with flat, yellow pods; very						
early and exceptionally free from rust; a very desirable and popular sort	05	15	25	1 75	6 00	
Pink-Eyed Wax. Very fine variety; resembles Golden Wax.	05	15	25	1 75	6 50	
Currie's Rust Proof Wax. Vigorous and hardy; productive	05	15	25	1 75	6 50	
Refugee Wax. A perfect Refugee with long, round, yellow wax pods; suit-	00	19	20	1 10	0 90	
able for early or late sowing, and an immense yielder	0=	90	20	0.00	7 00	
	05	20	30	2 00	7 00	
Wardwell Kidney Wax. Extra early; purely wax pods, long, flat and	0~		05	2 00	0.00	
remarkably free from rust	05	15	25	2 00	8 00	
White Wax. Flat, yellow pods; very handsome, vines small	05	15	25	1 75	6 50	
Yosemite Mammoth Wax. The largest pods of all the wax sorts; very		-	0.5		- 05	
productive and of good quality	05	15	25	2 00	7 00	
Valentine Wax. One of earliest; pods thick and fleshy; absolutely stringless	05	15	25	2 00	6 50	





#### GOLDEN WAX

5 20

> 20 35

35

6 00

6 00

75

I 75

#### DWARF, OR SNAP BEAN-Green Podded-Ready for use in 30 to 40 days.

CULTURE—About the first of May select a warm, dry, sheltered spot; dig and manure slightly; make drills two inches deep and eighteen inches to two feet apart; drop the beans three inches apart in the drills, and cover not more than two inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks for a succession. Burpee's Stringless Green Pod. This new bean produces a vine similar to Red Valentine, but develops pods to edible condition two to three days at. pk. bu earlier than Valentine. This advances the Stringless Green Pod to the first rank among table beans. Pods are stringless-absolutely so-the pods breaking as short and free as pipe stems; enormously productive\_\_\_\_\_\$ 5 \$ 15 \$ 25 \$1 50 \$5 50 Best of All. Early and superior; round, green, fleshy pods 1 50 5 15 25 Boston Favorite. (Large Goddard). Red podded Dwarf Horticultural..... Extra Early Red Valentine. Early strain of this popular round pod bean, nothing superior to this in Snaps among the green podded sorts; many 5 15 prefer to Wax varieties \_\_ 15 5 00 Early Mohawk. Long, flat and straight pods; very hardy\_\_\_ 25 1 50 5 15 4 50 Early China Red Eye, Early and continues long in bearing; fine shell bean Round, Early Yellow Six Weeks. Resembles the Mohawk, save in 15 1 50 4 50 color; flat pods; a popular variety Long Yellow Six Weeks. Early; the leading market sort; full, flat, green 5 15 1 50 4 50 pods; good quality\_\_\_\_ 5 1 50 4 50 15 Dwarf Horticultural. Late and productive; fine either shelled or green\_\_\_ 15 1 50 4 50 Low's Champion. A very productive variety, with perfectly stringless, large green flat pods \_\_ 4 50 15 1 50 Refugee, or 1,000-to-1. Medium to late; very productive and tender, and 15 25 1 50 4 00 1 50 Mexican. (Navy). Very productive; white sort 25 5 15 1 50 3 00 Boston Small Pea. Small, round and handsome 5 15 25 1 50 3 00 White Navy or Pea Bean. Seed white; nearly round 25 5 15 1 50 3 00 White Kidney or Royal Dwarf. Fine winter shell bean\_\_\_\_\_ 25 1 50 15 3 50 White Valentine. Very early, tender; entirely stringless..... 1 50 DWARF LIMAS-Ready for use in 30 to 75 days. Burpee Bush Lima. A bush form of the large Pole Lima, the beans being large and flat, like those of that variety. It is very productive and its dwarf character is well established... 20 2 00 7 00 Character is well established

Henderson's Bush Lima or Sieva, Productive; very early 35


#### POLE OR RUNNING LIMAS-Ready for use in 70 to 90 days.

Jackson's Wonder. Immensely productive; may be used as a shell bean or snap bean; broad, flat pods, variegated bean

CULTURE—Sow as the soil becomes warm and dry from the first part of May (for all except Limas) to the latter part of May, in hills four feet apart each way. Limas should not be planted until warm weather has fairly set in. One quart of Limas will plant about 100 hills, allowing four or five beans to a hill, and of the smaller sorts about 200 hills, Poles eight or ten feet long should be firmly set in the centre of the hills before putting in the seed,

Large White Lima. Largely grown and highly esteemed	\$ 5 \$	pt.	gt.	pk. \$2 00	\$7 O	u
King of the Garden Lima, Large in pod and bean; productive				2 00		
Dreer Lima. Thick and of fine quality; early variety	5	20	35	2 00	7 0	0
Early Jersey Lima, A few days earlier in maturity than the large Lima				2 00		
Horticultural Lima, A cross between the Horticultural and Dreer Lima;			03		3000	
it matures much earlier than the Lima	5	20	35	2 00	7 00	0





PROLIFIC TREE (NAVY).

7 00

7 00


6 00

7 00

1 75

200

POLE OR RUNNING BEANS					
	pkt	Per pt.	Per qt.	Per pk.	Per bu
Horticultural or Speckled Cranberry. Showy; excellent either					
as snap or shell bean\$	05	\$0 20	\$0 35	\$2 00	\$7 00
Speckled Cut-Short or Corn Hill. Used for planting among corn,					
one of the best	05	20	35	2 00	7 00
Dutch Case Knife. Pods long, green and flat; can be either snapped					
or shelled	05	20	35	2 00	7 00
Southern Prolific. A continuous bearer of good quality	05	20	35	2 00	7 00
Scarlet Runner. A popular English Pole Bean; very ornamental	05	20	35	2 00	7 00
White Crease Back. Long, round, stringless pod; fleshy and tender	05	20	35	2 00	7 00
White Dutch Runner, Same habit as the Scarlet Runner, flowers					
and beans being white	05	20	35	2 00	7 00
Kentucky Wonder. (Old Homest'd). Pods green, very long, very	18.00		-		
prolific	05	20	35	2 00	7 00



GOLDEN CLUSTER.

Golden Andalusia, (New). Most productive of all the pole varieties;			
beans pure white, round	05	20	35
Mont d'Or or Golden Cluster, Early, productive; golden wax			
pods six to eight inches long	05	20	35
Tall Sioux. Immensely productive; large, round, beautiful bean; white	1		
with yellow spots; one of the very best pole	05	20	35
Lazy Wife. Great favorite; pod from four to six inches long, string-			00
less, richbuttery flavor; beans are white and make a fine shell bean;			
pods remain green and tender long	05	20	35
Possible and tollars to the state of the sta	-		33

BORAGE

The young leaves of this annual, which smell somewhat like a cucumber, are used as a salad or boiled like spinach. Should be sown at intervals, as the leaves are palatable only when young. Sow in the spring in light soil and transplant in shallow drills, a foot apart, when of about six weeks growth.

Borage

10 05 \$0 15 \$0 35 \$1 25

#### BROCCOLI

Culture—Sow early sorts as soon as the ground can be worked in the spring, in shallow drills, drawn three or four inches apart. Plant out two feet apart each way when the plants are about four inches high. Cultivate the same as cabbage in rich soil. Use the same remedy for insect attacks as are recommended for cabbage.

The following are sorts best adapted to this climate, and the only ones which succeed generally; they are excellent and deserve much wider culture than is usual in this country.

Early White Cape, Best flavor; very hardy; small.

Early Walcheren, Late variety

O5 40 I 25 4 00

Early Purple Cape, The very best; large

O5 30 I 00 3 50


#### **BRUSSELS SPROUTS**

CULTURE --Sow in May in the same manner as Cauliflower, and transplant in July, one foot apart in the rows, which should be one and one-half feet apart. In gardens, both large and small, Brussels Sprouts are, without exception, the very best winter vegetable that can be grown. The real sprout is not much larger than a marble, and as firm and hard almost as the stalk itself. These are the sort which cooks prefer. They strip off the outer covering, cook them whole, and serve them up artistically in that fashion. When cooked through and no more, such Sprouts melt in the mouth like the tenderest cauliflower, and are equally as good.

Improved Half Dwarf. The veay best and surest strain 50 05 \$0 20 \$0 60 \$2 00 \$2 00 \$0 60 \$2 00 \$

#### CARROT

Ready for table in 60 to 80 days.



inches in row, main crop to six or seven inches; the rows ten inches apart for early crop, fourteen for main crop. Hoe often and deeply between the rows. Soil light, sandy loam, richly manured and deeply dug. Sow at the rate of

two pounds to the acre.						
		pkt.				
√ French Early Forcing. Tender and fine; best forcing.	or early and late crops and frames	\$ 05	\$ 10	\$ 20	\$ 60	
Early Horn. Very early variety; small root; exce	ellent flavor	05	10	20	60	
Half-Long Stump Rooted, Chantenay Str	ain. Style of Nantes, broader					
shoulder		05	10	20	60	
Half-Long Stump-Rooted, Carentan. Corele	ess; flesh red, of fine quality	05	10	20	60	
Half-Long Danvers. Thick, of good quality and	exceedingly productive	05	10	20	60	
Imp. Long Orange. Best for stock feeding, but g	good for late summer or winter use	05	10	20	60	
Oxheart or Half-Long Guerande. This is on	e of the most valuable of recent					
introductions either for family or market; most be	autiful shape and rich orange color	05	10	20	60	
VLarge White Belgian. Very large; excellent sto	ock carrot	05	10	20	60	
Large Yellow Belgian. Very large; excellent st	ock carrot	05	10	20	60	

wo nounds to the acr

#### CHERVIL

CULTURE—Cultivate and use the curled variety of Chervil like Parsley. Sow at any time in the spring, in shallow drills, one foot apart, in well prepared ground. The seed of the Tuberous Chervil should be sown in August or September, and treated like the Carrot.

#### **CHICORY**

Chicory is cultivated chiefly for its roots, which are dried, and used as a substitute or flavoring ingredient for coffee. The leaves, when blanched, are also esteemed as a salad. Cultivate as recommended for carrots.

Long Rooted Madgeburg. Roots are the Chicory of commerce...........\$0 05 \$0 10 \$0 25 \$0 75

#### CABBAGE

Ready for use in 75 to 120

#### We carry the finest strains of American Long Island grown cabbage seed. Market gardners can depend on plants from our seed heading.

CULTURE—Soil for Cabbage should be rich and heavy loam, with good drainage. On such a soil, with an abundance of stable or Thornburn's Complete Manare, excellent crops are sure to be grown. For early spring sow in fall; not too early, or the plants are hable to bolt in the spring instead of heading. In a month the plants will be fit to transplant to cold frames, where they are wintered, taking care, in planting, to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants wo feet apart one way and from tweive to fitteen inches the other, according to the variety. For late or winter crops the seed is sown in May, and the plants set out in July. In this case they are set in rows two by three feet, so as to work them with a horse an a cultivator. To destroy the green worm that is so destructive to the leaves and heads of cabbage and cauliflower an experienced grower says: "Take one ounce of saltpeter and dissolve it it twelve quarts of water, then take a short handled whisk broom, dip it in the solution and sprinkle the plants well. One application is sufficient unless the stuff is wasted off by heavy rains. The liquid being perfectly clear, never colors the caulflower or cabbage heads." To prevent the turnip flea from attacking the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear above the ground.



PREMIUM LATE FLAT DUTCH.




SURE HEAD.

	nkt	07	¼ lb.	1	lh
Express. The earliest of all; small, solid heads, fine quality; fine for forcing\$	-				
Etampes. A fine extra early small French sort, with pointed heads; very solid	05	20,	50		
Early York. The standard English sort, pointed heads.		20	50	_	
Early Jersey Wakefield. Well known and most valuable for early	05	20	50		
Early Winnigstadt. A standard second-early variety; pointed heads	05	20	Şo		
Early Dwarf Savoy. The earliest Savoy variety; distinct and good	05	20	50		
Early Flat Dutch. A remarkably fine strain; a sure header, the head weighing	-		3-	- 3	
from ten to twelve pounds; most valuable for market	05	20	50	1-7	75
Henderson's Early Summer. A superior second-early sort; produces large and			5	,	-
solid heads of fine quality	05	20	50	1 7	75
Selected All Seasons One of the finest for second-early or late, growing to a			Ŭ		
large size quickly and surely; the true sure header	05	20	50	1 7	75
Henderson Succession. An excellent second-early or late sort on the style of					
All Seasons	05	20	50	1 7	75
Filder Kraut. Pointed head; fine for kraut	. 05	20	50	1 5	50
Fottler Brunswick. Good, solid heads, either for second early or late	05	20	50	1 5	50
Stonemason Drumhead A standard winter cabbage for main crop	05	20	50	1 5	50
Premium Late Flat Dutch. Also a valuable main crop sort for market	05	20	50	1 7	75
Large Luxemburg. Solid head, oval shape, outer leaves tinged red, stem remark-					
ably short: very sweet and tender	05	20	_	I 7	
Drumhead Savoy. Very fine strain	05	20	50		
Mam. Rock Red. Very large, solid, red heads; the finest strain of Red Cabbage	05	20		I	
Red Dutch. For pickling; hard, oblong heads; dark purple	05	20	50	1 7	75
Hollander. One of the hardiest in cultivation, quite a distinct variety; medium size,					
round, very solid, extra keeper, best of quality—our seed is from a very					
reliable Danish grower	05	20	60	2 (	)()
Marblehead Mammoth Drumhead. The largest cabbage known, weighing in					
some instances over fifty pounds; under good cultivation acres have been grown		0.0			14 Fr
where the heads would average thirty pounds each	05	20	50	2	15
Genuine Sure-Head. Never fails to make a large, fine head with few outer leaves;	05	20	50	I s	75
fine grower; flat drumhead	05	20	30		13

#### **CAULIFLOWER**

Ready for use in 90 to 120 days

CULTURE-This is the same as for cabbage, except that extra manure and plenty of water will pay upon this. If the soil be dry, water frequently, and if the plants could have a heavy mulch of hay or straw, it would keep the soil moist, and the plants would not suffer from drought. The early kinds should strong enough to plant out not later than the middle of April; the late kinds may be planted out same time as for cabbage. To destroy the cauliflower maggot, it is recommended to take one ounce of sulphuret of potasium and dissolve it in one gallon of water. Heat the liquid to about 100 degrees, take a large spoon, or something that will hold the 100th part of a gallon, and pour the liquid against the stalk of the plant just above the ground.



EARLY SNOWBALL.

Extra Early Dwarf Erfurt. Short stem; very fine	pkt \$0 15	¼ oz \$0 60	\$2 00
Large Early Dwarf Erfurt. Finest strain	15	60	2 00
Henderson's Early Snowball. Without doubt the best of the cauliflowers; our			
seed is of the very finest strain, grown specially for us in Denmark, and sure to			
make a fine solid head; don't buy cheap cauliflower seed; there is no seed in which			
quality counts so much	15	1 00	4 00
Half Early Paris or Nonpareil. Popular early white	15	60	2 00

#### **COLLARDS**

CULTURE—Sow seed as for cabbage in June, July and August for succession; transplant when one month old in rows a foot apart each way and hoe often.

Georgia Grown, or Southern

Pkt oz. ¼ lb. lb. .... \$ 05 \$0 10 \$0 30 \$0 85

#### CORN SALAD, OR FETTICUS

CULTURE—Sow during August or early in September, in drills a quarter of an inch deep and six inches apart. If the weather is dry when the seed is sown, tread it in slightly to insure germination. Keep down weeds with hoe. Just before winter cover thinly with straw or leaves.

Large Seeded. The best variety for family use; makes delicious salad; used during

the winter as substitute for lettuce\_\_\_\_\_\_\$ 05 \$0 10 \$0 20 \$0 60

#### **CRESS**

CULTURE—Sow thickly in shallow drills every two or three weeks. It is useful not only for salad, but for the breakfast table and for garnishing. Water Cress should be sown in damp soil, or if a stream of water can be utilized, it would be much finer. It will also thrive in damp hot beds. Rightly managed its culture is very profitable. To obtain early saled, it is a good plan to sow with the Water Cress seed a strip four inches wide on the outer margin of a hot bed, inside the frame (where it is always cool). This will be found a satisfactory method of obtaining it early.

		pkt	OZ.	¼ lb.	lb.
8	Curled or Pepper Grass	\$ 05	\$0 10	\$0 15	\$0 50
£ .	Broad Leaved	. 05	10	15	50
	Broad Leaved Winter	-05	10	20	75
1	True Water Cress	05	40	I 25	4 00

#### CELERY

#### Ready for use in 100 to 120 days.

CULTURE—Sow the seed in a light, rich, dry border as early as the ground can be worked, in drills eight or ten inches apart, and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be dry. When fairly out of the seed leaf, they may be transplanted to another bed, or they may be thinned out to six or eight inches apart, and let grow until wanted to plant out in beds or trenches. The bed should be kept well weeded, and an occasional soaking with water in dry weather will do the plants good. Early in July at the north, a month or six weeks later in the southern states, is the proper time to set the plants out in beds or trenches. Press the soil firmly against the roots. In the garden the better way is to set the plants in shallow trenches—we say shallow, for it is obviously a bad plan to remove all the good soil (as must be done in a deep trench) and put the plants in that which is poor. The plants may be set in a single row in a



narrow trench, or the trench may be made into a bed wide enough to hold two, three or four rows, and in case the plants are in a compact form to be covered for the winter where they grow. This will save much labor where there is no root cellar for storage, as often happens to be the case. When grown in beds this way, the rows should be one foot apart, and the plants about eight inches apart in the rows. The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times, and in doing this care should be taken not to let the earth get into the heart of the plant. In field culture the plants are set on the surface in rows four feet apart when the celery is to be earthed up in the field for early use, and two feet apart when the plants are to be taken up and blanched in the cellar for winter use. The plants are set six inches apart in rows. If not grown in beds, the best way to store is to dig trenches in a well drained spot in the open ground, one foot wide and of a depth a few inches less than the height of the celery. The plants are then lifted and set close together until the whole quantity is stored. The edges of the trench should be made sloping from the tops of the plants. When severe cold weather comes on, cover gradually with leaves, hay or straw and place boards on top. In such a trench the stalks will blanch perfectly, and may be taken out any time during the winter for use or sale as required.


The turnip rooted or "Knob" celery needs no earthing up, and may be planted in rows one foot apart,

WHITE PLUME					
	pkt	oz.	1/4 lb	1	1 lb
Improved White Plume. Naturally white or light foilage; requires but little bank-					
ing up to blanch, very early and extensively grown for market. Per pkt. 10c	05	\$ 25	\$ 60	\$1	75
Golden Self Blanching. A grand solid variety, on the style of the White Plume,					
except that it is golden yellow where the Plume is white. Per pkt. 10c	05	30	75	2	50
Giant Pascal. An easily blanched and fine keeping large sort, of excellent flavor,		,			
superior for late use	05	20	50	1	50
Large Ribbed Kalamazoo. A good half dwarf white solid celery	05	20	60	1	75
Boston Market. Rather dwarf; has no particular merit	05	20	60		
Crawford Half Dwarf. Of vigorous growth and excellent flavor	05	20	60		
Sandringham Dwarf White. Small, white solid		20	50		
Giant White Solid. Large, round, crisp and solid; the old well known variety		20	50		
Celeriae or Turnip Rooted Has edible roots which are used for soups and stews		20	35		
Celeriac or Large Smooth Prague. An improved form of rooted celery, roots				_	200
smooth and round	05	15	35	7	95
V Golden Heart Dwarf. A very popular and distinct variety; in habit of growth it			00	.1.	20
resembles the Half Dwarf; white sorts, except that when blanched the heart,					
which is large and full, is of a waxy golden yellow	05	20	-50	1.	75
Celery for Flavoring. Per lb 20c; per five lbs 75c.					

### FIELD CORNS SWEET

In cataloging this branch of our business, we wish to state to our customers and the trade in general the value and importance of procuring not only good varieties of seed corn, but that which is grown in the very heart of the Great Corn Belt, grown in a climate and a soil where it not only develops great vigor of stock, size of ears and richness of kernel, but where there is a climate like ours, which at the right season of the year ripens and preserves it for seed of the highest test.

For a number of years we have given this branch of our business the strictest attention, and by selection



year after year of our seed stocks we are able to offer our customers for the coming season varieties of seed corns of the purest strain and truest types that are possible to produce.

Many farmers realize the value of changing seed and securing the best and truest strains and reaping the reward of their wisdom in choice by the yield of their acres. Still there are those who wait for their neighbors to get the seed first, and put off buying good seed until the next year. This plan was all right before the flood when men lived hundreds of years, but all should realize that it's too slow for this advanced age. Get good seed this year and improve it still more next. The farmer is the basis of the real wealth of our country. An increase of from one to five bushels of corn per acre means millions in money to the farmers of Iowa and surrounding states.

## At the rate of \$1.25 per bushel for seed corn it costs only about 25c per acre to plant your field with purest strains of good, vital seed.

We do not boast as some people do that to procure pure seed of certain varieties and kinds you must of necessity get it through us, but we do pride ourselves in stating to you that the varieties we have described in this catalogue are not only of the purest strains, the highest developed types, but grow in the finest climate on earth for curing and ripening the corn for seed. What is true of the autumn season for curing field seed is also of still greater value in curing and ripening for seed the different varieties of sweet or sugar corn. The great amount of saccharine matter in this corn makes it often, in damp and foggy climates, hard to cure, even by kiln drying, and then it seldom ever tests over 75 per cent. to grow, whilst here in our rich autumn sunshine, where fogs are seldom or never seen at that season, this corn ripens and cures to perfection and will test as much as 95 per cent. nine times out of ten.

### Sweet or Sugar Corn.

Since our Catalogue went to press the situation on **Sweet Corn** has made a wonderful change, and the following prices on this skip will govern, instead of any others made in this Catalogue, and the varieties listed here are all that we can furnish:

	PKT.	1 PT.	1 от.	1 PK.	1 BU.
White Mexican	5	15	25	1.75	6.50
Mam. White Cory	5	15	25	1.50	6.00
Ea. Red Cob Cory	5	15	25	1.50	6.00
Ea. Minnesota	5	15	25	1.50	6.00
Ea. Crosby	5	15	25	1,50	6.00
Stowell's Evergreen	5	15	25	2.00	7.00
Country Gentleman	5	15	25	2.00	7.00

.

en de la composition La composition de la

general terms of the second

#### SWEET OR SUGAR CORN


CULTURE—Plant in hills three feet apart each way, and five or six kernels in a hill. Hoe often and draw soil up to the stems; break off side shoots. Make the ground rich with well rotted manure. Sown in drills, a greater yield from a given surface will be obtained. The best fertilizer is Thornburn's Complete Manure. By sowing successive lots and properly selected varieties, the supply of sweet corn can be kept up until hard frosts kill the plants.

Market gardeners and private planters will do well to consider that our northern grown seed will give them earlier corn than will seed of the same varieties grown farther south. Our seed is thoroughly tested before it leaves our hand.

#### EXTRA EARLEY VARITIES

From 55 to 65 days.		4 .	4 .	4		-9 1	
	pkt	1 pt	1 qt	11	рк	TI	ou
WHITE MEXICAN. (See next page for this fine variety)	\$ 05	\$ 15	\$ 25	\$1	25	\$4	00
	*	"	"	-		-	
VEarly Cory, Red Cob. A very early variety, with good sized ears and	05	10	00	-	00	0	F 0
large grains; excellent for market, and has attained wide popularity	05	10	20	1	00	3	50
White Cob Cory. Resembles the ordinary Cory in size and earliness, but							
with white cobs; very much better quality.	05	10	20	1	00	3	50
	00	10	. 20		00	U	00
Mammoth White Cory. Largest extra early corn known, fine quality,						_	
12-rowed compact ears	05	10	20	1	00	3	50
Marblehead. One of the earliest; dwarf, with short thick ears; of good qual-							
the far an arrive art	05	10	90	1	00	3	50
ity for an early sort	05						
Extra Early Adams. Not a sugar corn, but largely grown for early use	05	10	20	1	00	3	00
SECOND EARLY OR INTERMEDIA	T =						
SECOND EARLY ON INTERMEDIA							
From 65 to 80 days.							
Minnesota. Nearly as early as Marblehead; dwarf growth, standard early	05	10	20	1	00	3	50
						-	-
Perry Hybrid. Very early and of large size; most valuable for market	05						50
Shaker Early. Very large, white grain and quite early.	05	10	20	1	00	3	50
Early Crosby. Matures after the Minnesota; fair sized ears of good quality	05	10	20	1	00	3	50
That I've the state of good quality	00	10	20	-	00	ų	00

Shaker Early. Very large, white grain and quite early.	00	10	20	1 00	2 00	
Early Crosby. Matures after the Minnesota; fair sized ears of good quality	05	10	20	1 00	3 50	
Moore Concord, Of strong growth; ears large and well filled.	05	10	20	1 00	3 50	
Early Adams. Not a sugar corn, but grown extensively all over the country						
for market purposes	05	10	20	1 00	3 50	
Early Champion A new and very desirable sort; ears nearly as large as						
Evergreen; pure white; only a few days later than Minnesota; very fine						
for market gardeners	05	10	20	1 00	3 50	
Early Evergreen. By careful selection for a series of years we have pro-						
duced an early strain of this corn, earlier by six to eight days	05	15	25	1 25	4 50	
Early Mammoth. Very large and not very late	05	15	25	1 25	4 50	
Black Mexican. Very sweet and of superior flavor; grains black	05	15	25	1 25	4 50	
Hickox. Earlier than Stowell; large ear, fine quality; plant with Stowell						
	Early Adams. Not a sugar corn, but grown extensively all over the country for market purposes.  Early Champion A new and very desirable sort; ears nearly as large as Evergreen; pure white; only a few days later than Minnesota; very fine for market gardeners.  Early Evergreen. By careful selection for a series of years we have produced an early strain of this corn, earlier by six to eight days.  Early Mammoth. Very large and not very late.  Black Mexican. Very sweet and of superior flavor; grains black	Moore Concord, Of strong growth; ears large and well filled  Early Adams. Not a sugar corn, but grown extensively all over the country for market purposes.  Early Champion A new and very desirable sort; ears nearly as large as Evergreen; pure white; only a few days later than Minnesota; very fine for market gardeners.  Early Evergreen. By careful selection for a series of years we have produced an early strain of this corn, earlier by six to eight days.  Early Mammoth. Very large and not very late.  O5  Black Mexican. Very sweet and of superior flavor; grains black	Moore Concord, Of strong growth; ears large and well filled 05 10  Early Adams. Not a sugar corn, but grown extensively all over the country for market purposes 05 10  Early Champion A new and very desirable sort; ears nearly as large as Evergreen; pure white; only a few days later than Minnesota; very fine for market gardeners 05 10  Early Evergreen. By careful selection for a series of years we have produced an early strain of this corn, earlier by six to eight days 05 15  Early Mammoth. Very large and not very late 05 15  Black Mexican. Very sweet and of superior flavor; grains black 05 15	Moore Concord, Of strong growth; ears large and well filled 05 10 20  Early Adams. Not a sugar corn, but grown extensively all over the country for market purposes 05 10 20  Early Champion A new and very desirable sort; ears nearly as large as Evergreen; pure white; only a few days later than Minnesota; very fine for market gardeners 05 10 20  Early Evergreen. By careful selection for a series of years we have produced an early strain of this corn, earlier by six to eight days 05 15 25  Early Mammoth. Very large and not very late 05 15 25  Black Mexican. Very sweet and of superior flavor; grains black 05 15 25	Moore Concord, Of strong growth; ears large and well filled 05 10 20 1 00  Early Adams. Not a sugar corn, but grown extensively all over the country for market purposes 05 10 20 1 00  Early Champion A new and very desirable sort; ears nearly as large as Evergreen; pure white; only a few days later than Minnesota; very fine for market gardeners 05 10 20 1 00  Early Evergreen. By careful selection for a series of years we have produced an early strain of this corn, earlier by six to eight days 05 15 25 1 25  Early Mammoth. Very large and not very late 05 15 25 1 25  Black Mexican. Very sweet and of superior flavor; grains black 05 15 25 1 25	Moore Concord, Of strong growth; ears large and well filled 05 10 20 1 00 3 50  Early Adams. Not a sugar corn, but grown extensively all over the country for market purposes 05 10 20 1 00 3 50  Early Champion A new and very desirable sort; ears nearly as large as Evergreen; pure white; only a few days later than Minnesota; very fine for market gardeners 05 10 20 1 00 3 50  Early Evergreen. By careful selection for a series of years we have produced an early strain of this corn, earlier by six to eight days 05 15 25 1 25 4 50  Early Mammoth. Very large and not very late 05 15 25 1 25 4 50  Black Mexican. Very sweet and of superior flavor; grains black 05 15 25 1 25 4 50



#### CORN-GENERAL CROP OR LATE VARIETIES

0 /	85 to 90 days.	pkt	pt	qt	pk	bu
V	Stowell Evergreen. Remains green a long time, and is highly prized; one of the most popular varieties	<b>\$ 05</b>	<b>\$</b> 15	<b>\$ 25</b>	\$1 25	<b>\$4</b> 50
1	Ne Plus Ultra. Small but one of the sweetest sorts grown	05	15	25	1 25	4 50
	Late Manmoth. Rank in growth, large ears, rich and sweet.  Egyptian. Large and of superior quality; largely used for canning		15	25 25	1 25 1 25	4 50
	Country Gentleman. Same as Ne Plus Ultra, but with large ears of delicious quality		15	25	1 25	4 50
	Sweet Fodder Corn. For soiling and ensilage	05	5	15	. 75	2 00

WHITE MEXICAN Do you know the marvelous sweetness of the old Black Mexican? You like its taste but dislike its color. Well, we have something finer in every way, superior in sweetness, a pure ivory white color, large as the Minnesoia, earlier than the Cory. It was ready for table use this year in 55 days. Originated in Ft. Dodge, Ia. Was placed in our hands for trial and development. We know of nothing its equal for the market gardener. If you want the finest market gardener's corn known, plant White Mexican. We control the entire stock. You cannot get it from anyone but us or our dealers.

"I planted the White Mexican Sweet Corn you sent me. I have been planting sweet corn for 25 to 30 years. This White Mexican is superior to any extra early sweet corn I ever saw. Was ready to eat in 58 days from planting."

H. B. SMITH, Odebolt, Iowa.

\*\*\*\*\*\*\*\*\*\*

"I planted your White Mexican this season, at the same time I planted extra early sweet corn from an eastern seed house, I found the White Mexican earlier and superior in every way. It's the finest early corn I ever had."

DESING BROS,, Marshalltown, Iowa. ~~~~~~~~~~

#### FIELD CORN

EARLY VARIETIES	at	nk	½ bu	bu
Pride of the North. Ripens in about 85 days, yellow dent; one of the best corns	qı	рк	/2 Du	Du
for the Dakotas and for replanting\$	10	\$ 50	<b>\$</b> 90	\$1 50
Duly's Hybrid. Ripens in 90 days; (see this page for fuller description)	10	50	90	1 50
Improved Yellow Flint. Eighty-five day corn; a very good corn for the far north; small cob, good yielder	10		90	1 50
White Flint. (Old Hominy). Has large silvery white kernels, a very large ear, small cob.				
small cob	10	50	90	1 50
LATE VARIETIES				
Yowa Gold Mine. Now a well known standard corn and still one of the very best; ripens in about 100 days; grain deep rich yellow dent; very small cob, 70 lbs. of				
ears will shell out 63 to 64 lbs	10	50	90	1 50
V Iowa Silver Mine. One of the very choicest white corns for the northwest; large, beautiful ears; good sheller, about 100 days	10	50	90	1 50
Leaming. Yellow dent, red cob, deep plump grains, rich golden color; yields 80 to				<b>3 8</b> 0
too basins por acre, acres too any billing the second seco	10	50	90	1 50
Champion White Pearl. A very large, beautiful white dent corn, immense	10	50	90	1 50
yielder; about 100 days	10	50	90	1 50
Armstrong's Ea. Rose. Fine yielder, beautiful yellow dent	10	50	90	1 50
Golden Beauty. The premier of all wide deep golden grained corn	10	00	90	1 00

#### Farmers, Dairymen, Stock Raisers

Try the Evergreen Sweet Fodder Corn.

The necessity for green fodder is becoming more apparent each year to all dairymen and stock raisers, and the demand for it is increasing in proportion as the ability of our over-taxed lands to supply sufficient pasturage grows less. The best thing for the purpose is our

#### ÆVERGREEN SWEET FODDER CORN

This variety is generally acknowledged by our best farmers, dairymen and stock growers, as being better and far superior to what is known as either the brand of ensilage corn, Red Cob Ensilage or Southern White Ensilage, from the fact that it grows to an immense size, making a large, juicy stock, that is so very sweet and nutritious that cattle will eat every part of the stock and leaves with a relish, clean to the butt.

Evergreen Sweet Fodder Corn also yields an enormous quantity of leaves, and the stocks are rich in saccharine matter-more so than any other variety we are acquainted with.

For prices see above.

#### DULY'S HYBRID (95 DAYS)

We can confidently say that this is without doubt the finest and largest yielding Early corn ever offered in the northwest. Kernels fine golden dent. Yielded with us 75 to 80 bushels per acre. Originated near Sioux City in the Missouri Valley. This may be planted in June and will be out of the way of frost by September 1st. It's yield is sufficiently large to warrant planting for general crop. The man who plants this last of May to first of June will always have sound corn. This corn is nearly as early as the Pride of the North and will out yield this sort two to one. Largest and longest eared early corn known.

"I have been planting corn for thirty years. In that time I planted many varieties; for three years I have planted Duly's Hybrid and have found it the best corn I have ever grown. It never gets caught by the frost—always sound and hard and a big yielder. It's the corn sure."

A. J. DAVISON.

#### CUCUMBER

Ready for use in 40 to 60 days.



IMPROVED WHITE SPINE

CULTURE-For very early, sow seed in hot bed on pieces of sod, or in small pots, and they can be readily transplanted with a gain of about six weeks before they can be sown in the open ground. Plant out in rich soil when danger of frost is over, or they may be protected by hand glasses, or even by paper held down at the corners with a handful of earth. For general crops, sow in the open ground as soon as the weather is settled and warm, and again every two weeks for a succession. For pickles, sow from the middle of June to the first week in July. Sod land, turned over in the fall, is the best for them. Plant in hills four feet apart, putting a shovelful of well rotted manure in each hill,

1/		pkt	oz.	1/4 lb	11	b
V	Early Russian. Very early, short; is a valuable variety for small pickles, for which		4.	4.	A.	
./			\$ 15			
	Early Short Green. (Or Early Frame). Good for pickling; productive			50		
	Early Green Cluster. Fruit small and in clusters; very prolific	-	15		1 7	-
V	Early White Spine. Early, and good for pickling or table use	05	15		I 7	
V	Improved White Spine. Well flavored and of medium size	05	15	50	1 7	5
	Arlington. A selection from the White Spine, being more pointed at each end; the					
V	young fruits are unusually crisp and tender, and are of very dark green color, so					
	that the variety is considered by name to be the best for small pickles	05	15	50	1 7	5
V	Evergreen. Very early and prolific; retains its fine deep green color in all stages of			,		
d	growth	05	15	-	17	~
	Long Green. Long and crisp; a popular and reliable variety for pickles	05	15	-	I 7	_
	Long Green Turkey. Fruit very long and rather slim	05	15		1 7	~
	Giant Pera. Very long and one of the best for table use	05	15	50	1 7	5
V	Green Prolific Pickling. One of the best for pickling; dark green, very productive					
	and of uniform small size	05		. 50		_
	Nichol's Medium Green. Most symmetrical, and a very fine table sort	05	15		I 7.	
	Boston Pickling. A favorite eastern sort, of fine quality	05	15		- I 7.	
U	Tailby Hybrid. Very long, and superior for family table use	05	15		1 7	
	Small Gherkin. Very small burr; used for pickles	05	15		1 7	_
	Japan Climbing. Can be grown on trellis	05	15	50	1 7	5
	Westfield Chicago Pickling. Very popular in Chicago market. Color deep green,					
	medium size, prominent spines	05	15	50	17	5
-	Serpent or Snake. Cucumbers grow curled up like a snake, four to five feet long;					
	quality fair	05	15	2 -	17	~
-	Sterling Pickling. An extra fine pickling eucumber, good size.	05	15	50	1 7	5

#### DANDELION

CULTURE—The Dandelion is a hardy perennial plant, and one of the most desirable early spring salads. Sow in early spring in drills half an inch deep and eighteen inches apart; thin out the plants to twelve inches, Keep clear of weeds during the summer, and the ensuing spring the leaves will be fit to cut. They are best, however, when blanched, which makes them tender and destroys to some extent their bitter taste without in any way impairing the quality which make them desirable as greens. Per pkt 5c; oz. 20c; 1/4 lb 75c; per lb \$2.00.

#### **ENDIVE**

CULTURE—Sow in June, July and August, cover lightly, when up thin out to eight inches apart and water well afterward, if dry. When the leaves are six or eight inches long, blanch by gathering in the hand and tying together near the top with yarn or bast. This must be done when quite dry, or they will rot. At the approach of winter take up carefully, with a ball of earth to each plant, and place close together in frame or cellar for use. They must be kept dry and have plenty of air, or they will rot.

#### Fennel, Florence or Naples

CULTURE—Sow in spring in rows sixteen to twenty inches apart. Thin out so as to have the seedlings five or six inches apart, and water as plentifully as possible. The plant is usually eaten boiled. In flavor it resembles celery, but with a sweet taste and a more delicate odor: Pkt.5c; oz. 15c; per 1/4 lb 40c; per Ib \$1.50.



IMPROVED NEW YORK
PURPLE EGG PLANT

#### EGG PLANT

CULTURE—Sow in hot beds, very early in spring, and transplant when two inches high into a second bed or into small pots. If that is not done, thin to four inches apart. Do not plant out until the weather becomes perfectly settled and warm. Cool nights or wet weather will check them. Keep some back in frames for a second planting in case of weather changing unexpectedly. Keep plants watered for a few days if the sun is hot when put in. Set out plants three feet by two.

/	Early Long Purple. Of distinct shade and fine	) A. U	OZ.	74 10	ber 10
	quality\$	05	\$ 20	\$ 50	\$1 75
ν	Round Purple. Medium, pear-shaped, pale purple,	05	25	75	2 25
-	Improved New York Purple. The best; large oval, deep purple; grown more extensively than				

#### LETTUCE

Ready for use in 40 to 60 days.

any other sort\_

Lettuce thrives best in rich, moist ground. For the principal early crop sow the seed in September in the open ground. Transplant when large enough into cold frames, and protect the plants during the winter in the same manner as early cabbage. Set the plants out early in April, or sow the seeds in hot beds in February or March, and transplant into a sheltering border with a southern exposure. For successive crops sowing may be made in the open ground as early as the spring opens and continuing until July. Always thin out well or the plants will not be strong. When wanted as a cut salad sow the seeds thickly in rows or broadcast.



TAND RA				
	pkt	07	¼ 1b	1 lb
VCold Frame White Cabbage. For starting in cold frames and setting out in early	DED	UZ.	74 113	2 10
spring: extensively used by market gardeners	\$ 05	\$ 10	\$ 25	\$ 75
Early Curled Simpson. A leading early sort; very tender	5		25	
Black Seeded Simpson. A superior variety; large and of light color	5		25	75
American Gathering.				2
Twisted and curled leaves;				
fine variety, either for				
early or late sowing	. 5	. 10	25	75
Early Prize Head.				
Bright green, tinged with				
brownish red; tender, crisp				
large loose head	. 5	- 10	25	75
California Cream	_			17
Butter, Round, solid				
heads, medium green, good				
size, compact; rich but-				
tery taste	5	Io	25	75
Early Curled Silesia.		/ -		. 13
An early, erect growing,				
clustering variety, which				
may be sown very thick				-
and cut while the plants				
are very young, at which				
time they are exceedingly				
tender, sweet and well				
flavored; color light green	5	-10	-25	75
/Tennisball White		*		
Seed. A well known	-			
forcing variety	5	10	25	75
Tennisball Black Seed. Forms close, hard heads; good for forcing	5	10		75
White Summer Cabbage. Close heads, of good size; fine for summer	5	10	25	.75
Salamander Head. Fine compact heads, which resist summer heat admirably; is				
V very popular in some sections	5	10	25	75

#### I FTTIICE - CONTINUED

	pkt	OZ.	1/4 lb	1 lb
Grand Rapids Forcing. Large tender heads, one of the best for early forcing	\$ 05	\$ 10	\$ 25	\$ 70
✓ Deacon. A large solid Cabbage-Lettuce for summer	5	IO	25	75
Improved Hanson. Very large and solid, sweet, crisp and tender; withstands the				
hot sun well	5	IO	25	75
Denver Market. An early variety for forcing on open ground; large solid head,				
the leaves are beautifully marked and blistered, very crisp and tender	5	IO	25	75
Paris White Cos. Fine if sown very early, requires tying up to blanch	5	10	25	75

#### KALE OR BORECOLE

CULTURE—Cultivated and grown exactly like cabbage. Sow early in the spring in a hot bed, and when from one to two inches high transplant into a bed or border that has been highly manured and deeply dug. The plants should stand two feet apart, in rows three feet apart. The soil should be kept mellow and free from weeds. Cover with litter or leaves during the winter. Plants started grown this way should be fit to blanch the following spring. The seed may also be sown early, in the open border, and transplanted in rows (as directed above) as soon as out of the seed leaf; but they will need to be a year older than the hot bed plants before being fit to blanch. Sea Kale is not fit to eat till it has been blanched, either under large pots or by banking up with sand. The mid-ribs are the parts eaten. They are cooked like asparagus and usually served with drawn butter

Ex. Curled Dwarf German Greens. Very dwarf and spreading; best strain... \$ 05 \$ 10 \$ 25 \$ 80 Curled Tall Green Scotch. A taller growth of the above; late variety....... 05 10 20 75

#### **KOHLRABI**

CULTURE—This is an excellent vegetable and should be grown in every garden. Sow in spring, in rows eighteen inches apart, afterwards thinning the plants to eight or ten inches. If the weather is suitable the thinnings may be planted, but it is considered difficult to transplant. Keep the weeds down and when the thickened are above ground is two or three inches through they are fit to eat, and should be used at once; being tough when old. They are cooked the same as turnips, and, when well grown and used at the proper stage, are tender and palatable.

Farly White Vienna. Handsome and delicate; white ball 505 \$20 \$60 \$20 00 \$25 75 2 50

#### LEEK

CULTURE—Sow very early in the spring in drills six inches apart and one inch deep. Thin out to one inch. When about seven inches high transplant them in rows seven inches apart and as deep as possible; but do not cover the young center leaves. Water thoroughly, it dry when planted out. Draw earth up to them as they grow; rich soil is required. Take up and store in earth in a cool cellar before winter weather. The seed may also be sown in September, and the young plants transplanted in spring to where they are to remain.

Best Large Flag Winter. Hardy
and productive 505 \$ 20 \$ 50 \$1 50

Musselburg. A large standard sort;
remains long in good condition 5 20 50 1 50

Large Carentan. A superior variety
with distinct and dark colored
leaves; stout in habit and hardy 5 20 50 1 50




LEEK

#### MUSHROOM SPAWN

CULTURE—Mushrooms may be grown in cellars, under benches of green houses or in sheds wherever the temperature of fifty degrees can be kept up through the winter. The beds should be made from November to February, according to the time the Mushrooms are wanted, and it requires about two months for them to begin bearing. Secure fresh horse dung, free from straw and litter, and mix to an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed the required size. Three or four foot wide, eight inches deep and any length desired, are the proper proportions for a bed; but these may be varied. Prepare the mixture of loam and manure, making the bed in layers and pounding down each with the back of the spade. Leave this to heat through for a few days, and as soon as the heat subsides to ninety degrees make holes in the bed about a foot a part each way, into which put pieces of spawn two or three inches in diameter; fill up the holes with the compost, and at the expiration of a week or ten days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth or two inches, and cover with three or four inches of hay, straw or litter. Examine the bed often to see that it does not get dry. Take special care, however, when water is given that it be at a temperature of about one hundred degrees.

#### MELON-MUSK

CULTURE-Select a light, sandy, rich soil, and after all danger of frost is over, and the ground has become warm and dry, plant in hills four to six feet apart each way, six to twelve seeds to the hill. When up, and all danger of insects has passed, pull out all but three plants. Cultivate until the vines cover the ground and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime or even dry road dust is excellent to sift over the young plants when the dew is on to prevent the attacks of insects. A few hills for early



ROCKY FORD

use may be had by sowing in hot beds on pieces of sod or in pots. The seed may also be started out of doors under hand frame or glasses. It is quite important that proper soil be selected for growing Musk Melons, as on heavy soil the quality will be poor.


on heavy soil the quality will be poor.	pkt ·	oz	1/4 Ib	1 lb
Golden Netted Gem. Very early, small and of fine flavor; green flesh				
The Surprise. Early, oblong with rich orange flesh of good quality.		10	30	90
White Japan. Early, with light green flesh and white skin		10	30	90
Jenny Lind. Small but very early and of good quality; green flesh		10	30	90
Green Nutmeg. Named from its shape, green flesh, sweet, good for main crop; early		10	30	90
Late Hackensack. Large, round and		10	00	1/0
of good quality; a popular variety.		10	30	90
Extra Early Hackensack. Ripens		10	00	00
ten days earlier than the Hackensack;				
very early		10	30	90
Osage. Cocoanut shaped, yellow flesh,		10	90	00
light green, netted skin, good quality;				
intermediate		10	30	. 90
		. 10		10 m
Bay View. Very prolific and of great		10	30	90
size; oblong, green flesh, late		10	50	. 00
Skillman Netted. Very early, ova				
in shape, flesh deep green, sweet and	05	10	30	90
delicious		10	30	90
Orange Christian. One of the finest				
orange sorts; round, very sweet and	05	10	30	90
very early		10	730	90
The Banquet. Beautifully netted med-			~	
ium sized flesh rich salmon; fine	. 05	10	30	90
4 quality		10	50	90
Delmonico. Oval, deeply netted, large		10	-30	90
size, orange flesh		10	. 50	80
Baltimore Market. Oblong; orange	05	10	30	90-
flesh, of fine quality, intermediate		10	50	90-
Netted Beauty. Extra early, densly		10	30	90
netted; flesh pale green		10	30	90
Emerald Gem. Small, extra early;				
smooth ribbed, dark green skin and				
GREEN NUTMEG orange flesh; quality first rate, very	05	10	30	90
SW6CL	05	10	30 30	90
Green Montreal. Large, round, netted, flesh thick and light green; late		10		90
I ong Vellow Canteloup. Yellow flesh, well adapted for the north; late	U	10		90
Donorse Citron Cucumber shaped highly perfumed, of indifferent quality: late	UU	10	50	90
Mango Melon or "Vine ()range." (Also called "Vegetable Feach"), Size, Shape	;			
and color of an orange; thick, meaty flesh; besides its use for preserving of pick-		10	30	90
ling it can be fried like Egg Plant when partly ripe	.00	10	30	90
Dinearnle Medium sized oval shaped, tapering to stem; flesh green, very thick;	05	10	20	90
delicate and exceedingly high flavored; intermediate	. 05	. 10	30	90
10				

#### MELON-MUSK-concluded

britain very as dittie. Very large, cream yenow, very distinct, samon colored nesti.	pkt.			
Rocky Ford. This is the most popular of the basket melons; oval, light ribbed, densely covered with course netting, flesh thick, green and sweet, highly flavored				
Paul Rose or Tetofsy. Unsurpassed in quality, unexcelled for shipping, flesh firm, rich orange color, covered with dense netting, not ribbed		10		90
Princess. Salmon fleshed, very distinct, nearly round, dark green, netted, sweet and luscious	05	10	30	90


#### MELON-WATER

Ready for use in 60 to 90 days



KOLB'S GEM

CULTURE—Treat the same as Musk Melon, except that they should be planted eight or ten feet apart, according to variety.



	DIXIE				
1/-		pkt.	oz.	1/4 lb	1lb.
٧.	Hungarian Honey. A very early sort from Hungary; fine for northern latitudes,	m	ds		# 50
. /	perfectly round, flesh brilliant red, seeds very small	\$ 05	\$ 10	\$ 20	p 50
V	Gray Monarch or Long Light leing. Largest melon grown; crimson flesh,				
24	fine, late	05	10	20	50
V)	Kolb Gem. Large; bright red flesh, of fine quality and a good shipper, intermediate	05	Io	20	50
VI	Pride of Georgia. Round, large, crisp, bright red flesh, intermediate	05	IO	20	50
11	Stoke's Extra Early. A distinct melon, earliest of all, nearly round, dark green				
V	skinned, delicious sugar flavor, seed small, one of the best for the north		10	20	50
2/7	Mountain Sweet. Large oval variety, green rind, flesh scarlet, sweet and delicious	_			
	fine for home garden	05	10	20	50
1		_			
V	Sweetheart. One of the best early shipping melons; fruit large, oval, mottled, light		7.0	20	50
1	green. flesh bright red, firm, melting and sweet	05	10	20	
VI	McIver's Sugar. Resembles the Rattlesnake but is very much superior, fine shipper	05	IO	20	50
V.	<b>Phe Boss.</b> Oblong, dark green, flesh deep scarlet, thin rind, intermediate	05	IO	20	50
V ]	Dark Icing. Solid, with dark thin green skin; of superior quality, white seed, early	05	10	20	50
	Light Icing. Round; pink flesh, of fine quality	05	10	20	50
100 100		0		20	50
- 26	Mammoth Ironclad. Long, very large, late; red flesh, good shipper	05	10		-
V	Peerless or Ice Cream. Very early; red flesh, good home melon	05	IO	20	50
5/1	Phinney's Early. Early and of fine quality; red flesh, fine for the north	05	IO	20	50
0 1	Volga. Pale green skin and flesh; late	05	IO	20	50
	Dixie. A new melon of exceilent quality; very large and solid flesh red, intermediate	05	IO	20	50
	Kentucky Wonder. Oblong; dark green skin, scarlet flesh	05	IO	20	50
70.0	Seminole. Very large; quality first rate, intermediate	05	10	20	50
_	Cuban Queen. Solid and heavy, skin marked regularly; excellent quality, early	05	10	20	50

MELON-WATER-concluded				
Plack Spanish Town was lish marks that the last and the last	pkt	oz	¼lb	11b
Black Spanish. Large, roundish, nearly black, dark red flesh; early————————————————————————————————————				
Florida Favorite. A superior strain; improvement on Rattlesnake, intermediate	05 05	10 10	20 20	50
Georgia Rattlesnake. Oblong, dark and Striped; bright red flesh, late	05	10	20	50 50
Citron. Round and handsome, for preserving; late	05	10	20	50
Cole's Early. Very early, very sweet, fine home melon	05	10	20	50
Keckley's Sweet. Oblong, rich dark green, flesh bright scarlet, very sweet	05	10	20	50
Black Boulder. Nearly round, very large, black green, fine shipper	05	10	20	50
Black Diamond. Very fine color, good shipper	. 05	10	20	50
Jones' Jumbo. Very large, fine green color, meat deep red, fine shipper	05	10	20	<b>5</b> 0
Duke Jones. Early, large round, fine flavor, fine shipper	05	10	20	50
Fordhook Early. An extra early, of extra fine flavor, and large size, color a uniform green; average weight from 30 to 40 pounds	05	10	20	50
MARTYNIA				
For Pickles				
CULTURE—Sow in May in the open ground, three feet apart in each direction,			*	
to remain; or the seed may be sown in a hot bed and the seedling afterward transplan				
are productive and fine for pickles. Pick when small and tender, and preserve the sam	e as	cucun	nbers.	
Proboscidea	OF.	0Z.	火 1D \$ 75	1 10
	05	# 45 ·	# /3	ψ2 <u>5</u> 0
MUSTARD				
CULTURE—Sow thickly during early spring, in shallow drills, and press the ear	th v	rell d	own.	For
fall salad, sow in September, or in frames or boxes during the winter.	mlrá		1/ 1h	1 lb
Black. These seeds form the mustard of commerce	рки. \$ 05	\$ TO	% T5	\$ 35
White London. Leaves used for salad while young; grows very rapidly				35
Giant Southern Curled. Very large leaves	05		_	35
NASTURTIUM				
	er\1			1
CULTURE—Sow as soon as all danger of frost is past, in drills about an inch deep.				
quire fences or poles on which to climb. The seeds are used for flavoring pickles or as a				
Tall Mixed	05	\$ 15	\$ 40	\$1 25
Dwarf Mixed	05	15		I 25
OKRA OR GOMBO				
CULTURE—Sow late in the spring, after the ground has become warm, in drills th	ree f	eet ar	art. v	where
the plants are to remain. Thin out from nine to twelve inches. They should be well n				
also be raised in pots or a hot bed and transplanted.		. 1		
V	pkt.	oz.	1/4 lb	1 lb
V Dwarf Green				
V Long Green	05		_	
Early Dwarf	05	10	25	00
ONION SETS, TOPS, ETC.				
CULTURE—Onion sets and tops should be planted near the surface, in drills abou	t two	elve i	nches	and
four inches in the rows. They must have high culture for the best results. These las	t are	e best	for	early
use and where onions from seed cannot be raised the first year, they are essential.				
Yellow Onion Sets, Bottom				
White Onion Sets, Bottom				
Red Onion Sets, Bottom	P	rice	5 011	
White Potato Onions				
Yellow Potato Onions	Ap	plic	at10	n

MELON-WATER-CONCLUDED

#### ONION

#### Ripens in 65 to 120 days


CULTURE—Sow in rich sandy soil, in drills one foot apart, as soon as the ground can be worked in spring. Thin to three or four inches, using the rake and hoe frequently to keep down the weeds.

and the second	White Barletta. A small white Italian	oz. ¾	lb Tlb	
GLOP	sort; the earliest of all, fine for			
W. W.	pickling \$ 05	\$ 15 \$	40 \$1 54	
	New Queen. Very early small white	15	40 1 50	
	Sort, the best p ckling	10	20 1 00	
	flat 05	20	60 2 25	
	Large White Globe. Large South-	20	60 2 00	
	port strain 05 Giant White Tripoli. Very large white 05	15	40 1 50	
	White Flat Bermuda. Very early 05	15	40 1 50	
	Early Red Flat. Color of the Wethers-	15	40 1 25	
	field; very early 05 Large Red Globe. Southport strain,	10	40 1 23	
	one of the best reds, good keeper 05	15	40 1 25	
	Large Red Wethersfield. Half early,	15	30 90	
	and a good keeper; standard sort 05 Giant Rocco, Light Red. Productive	10	30 80	
	and mild; of very large size 05	15	40 1 50	
LARGE	Giant Rocco, Yellow. Same as above	15	40 1 50	
REDWETHERSFIELD	save in color05	15	40 1 50	
P				
			_2	
		म् वृत्याः स्वत्याः		
			200	
				,
		A 188		
		逐		
VEILE				
DANVERS		250		
CLOBE		44		
S. C.		F		
Control of the second s				
All the state of t	NEW QUEEN PICKLING			
	Yellow Danvers. (Flat). A standard sort, rather oval, early, good keeper 05	15	30 90	0
	Yellow Globe Danvers. Of more glob-	40		
	ular shape; keeps well05	15	30 1 00	)
	Large Yellow Globe. Southport strain large, firm, mild, good keeper 05	15	40 1 56	0
	Yellow Strasburg. Fine keeper, the	10	40 10	
	great set onion 05	15	30 1 00	0
	Maul's Prizetaker. Very large, beau- tiful onion, white flesh, skin straw			
	color; sweet, mild, tender; keeps medium 05	20	40 1 2	5
	Globe Wethersfield. Cross between Red Wethersfield and Large Red			
	Red Wethersfield and Large Red Globe; very beautiful onion, fine			
	keeper, excellent flavor, nothing finer for the market gardener 05	20	40 1 2	š
	Early Red Globe. Fine onion, mild and tender; not good keeper 05		00 1 0	0
The state of the s		20	30 1 0	U
Mammoth Silver King. Very large, white skin and		20	50 1 5	0
weighs three pounds.	nion. A grand new onion from Austalia.	20	00 1 3	,
	kable variety, remarkable in three ways:			
First, they ripen extremely early; second, they kee	p almost indefinitely, much longer than			
will any other onion; third, they never make any the	hick necks or scullions. These points are			
alone sufficient to insure its popularity, but in addit and very attractive appearance. This onion has ke	pt perfectly sound till the next crop was			
grown, so that sound onions grown in two successive	ve seasons have been placed side by side 0	15	30 9	0
	12			

#### PEAS

#### Ready for the Table in 50 to 70 days

CULTURE—A week may be gained in earliness by sowing a quantity in moist sand, placed in a box in the cellar, and planting outside when well sprouted. Light dry soil, not over rich, suits the pea. Sow as early as the ground can be worked, and again every ten days, for succession, up to the first of June, after which there is danger from mildew. Sow in single or double rows, from four to six feet apart, according to the different heights, about an inch apart in the rows (except such sorts as we note to sow thin) and four inches deep. Hoe



NOTT'S EXCELSIOR

The best Early Wrinkled Pea sold.

keep ground clean and fine. The tall sorts can be made to bear more freely by pinching - in. The dwarf varieties may be grown in beds like Bush Beans. with rows about the same distance apart. The holes which are sometimes found in peas are caused by the Pea Weevil, (Bruchus pisi) This insect is a native of this country, but, as usual with such pests, has spread rapidly and is now found nearly all over the world.

often

beetles lay their eggs on the young pods and the lavræ, as soon as hatched, make their way through the pods into the nearest peas. They do not, as is sometimes supposed, destroy the germ, for peas will grow if they are infested, but the plant is likely to be more feeble, and for this reason will not produce as large a crop as if free from the weevil.

Peas marked thus (\*) are wrinkled.

#### GRADUS

\*Gradus. A new English variety of the wrinkled peas; it is very hardy, so much so that, unlike most of its type, it can be planted extremely early; the vine grows about 2½ feet high, is vigorous and very productive; the pods are large and well filled with good sized peas, seven to nine usually in a pod. The Gradus is the earliest wrinkled pea in cultivation and one of the most delicious in quality.

3/4 bu. 1 bu.

\$ 5 \$ 30 \$ 50 \$4 00 \$12 00

#### MOTT'S EXCELSIOR

#### The finest Dwarf Wrinkled Extra Early variety

It is the best of recent introductions; vines are larger and more vigorous than the American Wonder, while the pods are fully one-third larger, containing six to eight fine large peas, packed so closely together in the pods that the peas are always more square than round. The pods are always well filled with peas, which in sweetness and quality have no equal, being superior to any other wrinkled sort.

#### EXTRA EARLY PEAS

EXTRA EARLY PEAS			
Hght, in ft. pkt pt.	qt.	pk.	bu.
Nott's Excelsior. The finest Dwarf Wrinkled Extra Early variety 34 \$ 5 \$ 20 \$	30	\$2 00	\$7 00
Rural New Yorker. Very early; prolific and uniform in ripening 2½ 5 20	25	1 50	5 00
First and Best. Early, resembling Early New Yorker 2½ 5 20	25	1 50	5 00
Alaska, One of the very earliest blue Peas; quite productive 2½ 5 20	25	1 50	5 00
Alpha. An extra early wrinkled pea; sow thick 3 5 20	30	1 50	5 00
*American Wonder. Nearly as early as Alaska, good yielder, extra			
	25	2 00	7 00
quality/#		2 00	
Little Geni. We Lam's very desirable early pea, great producer, good quity 1/4		$\frac{2}{2} \frac{00}{00}$	
The first than Entire Ochi, better quanty, great producer		$\frac{2}{1}$ 75	
Extra Early Tom Thumb. Well known old variety 34 5 20	.40	. T 10	0 00

#### EARLY AND MEDIUM PEAS

Hght. in ft.	pkt.	pt.	qt.	pk.	bu.
V*McLain Advancer. A fine standard sort of excellent quality 21/2 \$	().5	\$ 15	\$ 25	\$1.50	\$5 00
*Horseford Market Garden. On the style of Advancer; very prolific. 21/2	05	15		1 50	
*Everbearing. Long pods and large peas; sow thin	0.5	15		1 50	
	05	15	25	1 50	
A series of the	05	15		1 50	
Pride of the Market. Pods large	05	15	25	1 50	5 00
LATE PEAS					
./					
*Champion of England. A well known standard variety; sow thick 5	0.5	15	25	1 50	4 00
*Heroine. Large full pods, enormously productive	05	15	25	1 50	5 00
Yorkshire Hero. A spreading variety, very productive; sow thin21/2	0.5	1.5	25	1 50	
Melting Sugar. One of the best edible pod sorts4	05	25	30	1 75	6 00
Mammoth Sugar. Gray seed, immense, edible pods	05	25	30	1 75	
Tall Sugar White seed, edible pod	05	25	30		6 00
*Dwarf Wrinkled Sugar. Large well filled pods; very productive 11/2	05	25	35	1 75	6 00
Stratagem. The finest second early, vigorous and productive, eight to					
ten large peas in pod, unsurpassed in quality	05	15	25	1 55	5 50
Marrowfat, Black-Eyed. The best Marrowfat. 4 to 5	05	15	25		
Marrowfat, White. An old standard sort, quality inferior, great yielder. 4 to 5	CO	15	25	80	3 00

#### PEPPER

CULTURE—Sow in hot beds in March, and when the soil has become warm set in rows two feet apart and eighteen inches in the rows, hoe frequently and keep down all weeds. The plants may also be forwarded in pots.

yang aree to return and the point
Sweet Golden Queen. Very hand-
some and distinct, and of mild flavor
Ruby King. Beautiful bright red large
fruit, mild, one of the best; fine for
pickles
Large Squash. Productive, much
used for pickles
Long Red Cayenne. Bright red, very
productive
Large Bell (or Bull Nose). Large
and mild, excellent for pickling
Procopp Giant. Very large size and
brightly colored, fine flavor
Red Cherry. Cherry shaped; for
pickles, for which they are largely used
Red Cluster. A new type of Chili,
with upright bright red fruits
Sweet Mountain. Large, regular and
of mild flavor, one of the best for
, J pickling
Celestial. A Chinese Pepper, at first
fruit is yellow, and when fully matur-
ed becomes a deep scarlet



#### PARSNIP

Ready for use in about 80 days

CULTURE—Sow as early in the spring as the ground can be worked, in rich soil, in drills eighteen inches apart. The ground should be well and deeply dug. Thin to six or eight inches in the rows. Hoe and cultivate often to keep down the weeds.

/	Hollow Crown. A market gardener's strain\$	pkt	per oz.	% lb	per lb
V	Maltese One of the hest sorts: not quite as long as the I ong White	5		20	50
4	Long Smooth White. Long white, smooth, no side roots; tender and excel-	5			30
V	lently flavored	5	10	20	50
V	Student. A half long variety of delicious flavor	5	10	20	50

#### PARSLEY


CULTURE—Soak the seeds a few hours in luke warm water, and sow early in spring and until the middle of July, in drills one foot apart. Thin out the plants to four inches. To preserve in winter transplant to a light cellar or cold frame.

	pkt	per oz.	1/4 lb	per lb
uble Curled. Superior	\$ 5	\$0 10	\$0 20	\$0 50
ampion Moss Curled. Very pretty and one of the very best	_ 5	IO	20	5.0
rn-Leaved. Fine curled	_ 5	10	20	50
mburg or Rooted. Edible roots, much like parsnips	_ 5	10	20	50

PUMPKIN

CULTURE—May be planted middle of spring, among corn or in the field or garden, in hills 8 or 10 feet apart each way, 4 seeds in a hill. In other respects are cultivated in the same manner as melons and cucumbers. Avoid planting near other vines.





CONNECTICUT FIELD

-					
ı		pkt.	1 oz.	1/4 lb	1 lb
1	Large Cheese. Flat; one of the best varieties for family use, good keeper	\$ 05	\$ 10	\$ 15	\$ 40
1	Sweet or Sugar. Fine grained, sweet and prolific, small yellow, best for pies	05	IO	20	60
100	Quaker Pic. Fine for pies, very prolific and a good keeper	05	IO	20	60
E.	Striped Cushaw. Medium size, crookneck, very productive	05	IO	20	60
1	Red Etampes. Medlum size, flat, fine for cooking	05	IO	20	бо
V	Mammoth Potiron. Grows to an enormous size, 150 to 275 lbs., fine for exhibition	05	IO	20	бо
Ber	Mammoth Tours. A very large French variety				60
	Tennessee Sweet Potato. Bell shaped; thick, white flesh, fine for pies	05	10	20	60
-	Connecticut Field. Grown for stock, very productive	05			60
M	, , , , , , , , , , , , , , , , , , , ,	- 5			

#### RHUBARD

CULTURE—Sow seed in a cold frame, in a fine, rich, sandy loam, about the first of March, in drills four inches apart. Keep the frame covered during nights and cold days, so that the soil will not freeze, and

in six to eight weeks the plants will be large enough to set in the open ground. Transplant to a rich soil, and set in rows twelve inches apart and twelve inches in the rows. The following spring transplant again to four or five feet apart each way, and the next spring the stalks will be large enough to pull. When roots are set out plant them four or five feet apart each way, and keep the weeds down. If roots are used a crop may be had after one season, which is much better than sowing seeds when only a few plants for family use are needed. In the fall the bed should have a thick dressing of course manure, to be spaded under in spring.

Polyton of the open ground to give in the open ground to give ground to give in the open ground to give i


#### SALSIFY OR VEGETABLE OYSTER

CULTURE—Sow as early as the ground can be worked in the spring, in drills twelve inches apart, one inch deep, and thin out to six inches in the row. Keep them free from weeds. Cultivate the same as for carrots and parsnips. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces half an inch long, boiled till tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like parsnips, and have a sweet, agreeable flavor. Mashed and fried the flavor is much like that of the oyster.



SALSIFY MAM. SANDWICH ISLANDS

#### RAPE



#### DWARF ESSEX

A most profitable forage plant. We can think of no simple change which would do more to increase the profitableness of American farming than a more general use of Dwarf Essex Rape. It is an inexpensive crop, costing but little for seed or cultivation, is very hardy, can be made to take the place of some crop that has failed, and will yield an enormos crop of forage, or it can be sown after harvest as a cover crop, and, when fed off by stock, particularly sheep, will rapidly restore the fertility of exhausted soils. It is important that the true biennial Dwarf Essex Rape should be used, and not the annual sort, which is not only much less valuable as a crop, but which, when once introduced, becomes a pernicious weed very difficult to eradicate.

We handle only one variety of Rape, the Dwarf Essex, which is biennial, and one of the most profitable plants to use for green manuring and pas-

ture. There is no plant which will give as heavy a yield for forage at such a small cost as this, and its general cultivation would add largely to the profits of American farms. When fed off by sheep it will probably do more to restore and make profitable exhausted soils thad any other plant. Beware of the worthless annual variety that is often sold and which is worthless for forage.

RAPE in general appearance is much like the Rutabaga—so far as tops are concerned, but there are no tubers. Grows from 2 to  $2\frac{1}{2}$  feet high. Sheep, cattle or hogs are turned in it about eight weeks after sowing. The usual precautions should be taken against bloating—putting them on but a short time at first and gradually extending the time until they can remain all the time.

**CULTURE**—Prepare the ground as for Turnips and sow in June or July, with a Turnip drill, in rows two and one-half feet apart, at the rate of two and one-half pounds per acre. It may be sown broadcast at the rate of five pound per acre.

MANY FARMERS are sowing Dwarf Essex Rape with their wheat or other spring sowing crops, putting it right in the drills with the grains sown. The Rape plants do not develop sufficiently to interfere with the growing grain, but after harvest comes on rapidly. It does well to sow after the corn has been laid by and when the corn has been husked it furnishes the very best pasturage, in connection with the stalks.

SOIL—Does not do well on all kinds of soils. Make the best growth on slough soils, in which there is ample moisture. Makes the least growth on stiff clay soils. On the black soils of the prairies it does exceedingly well.

TIME—In the northwest for pasture purposes it is best to sow it from June 15th to July 25th—about July 1st the best—unless it be sown at the time of putting in oats or spring wheat, in which case it does not develop much until after the crops are cut.

One pound, 15 cts., five pounds, 50 cts., twelve pounds \$1.00. 25 lbs. and over 8c per lb. For larger lots write for special prices.

#### RADISH

#### Ready for Use from 18 to 25 Days

CULTURE—Sow as soon as the ground is dry in the spring, in light, rich soil, in rows eight to ten inches apart, every week or ten days for a succession, up to the middle of June, after which they are but little used, unless a cool northern spot can be had where the ground is shaded during part of the day. Sow also in early fall for late crops and winter use.

For Those marked thus (\*) are best suited for market gardeners.

Turnip Early Scarlet. Very early, crisp, good forcing\_\_\_5c 10c 20c 50c Turnip Early Deep Scarlet. Very early; usud for forcing 5c 10c 20c 50c Turnip Early Scarlet White Tipped. Very early for


rames or outdoors. This is one of the best for mar-

ket gardeners 50 10c 20c 50c



NON PLUS ULTRA

#### RADISH-concluded





CHARTIER

#### SORREL

CULTURE-Sow in spring, in drills eighteen inches apart, in a rich soil, and keep the flour stems cut off as they appear. It remains in the ground year after year and only needs to be taken up and divided once in four or five years. To be cut and cooked precisely like spinach; or it is excellent cooked with it, onethird Sorrel to two-thirds Spinach. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northerly exposure is preferable.

pkt per oz. 41b per lb Garden \$0 05 \$0 15 \$0 40 \$1 25



05

20

20

50

50


WHITE STRASBURG SUMMER

#### SQUASH

#### Ready for use in 40 to 60 days

CULTURE—Sow in hills in the same manner and at the same time as cucumbers and melons; the bush varieties three to four feet apart, and the running kinds from six to nine feet apart.







HUBBARD

	•				
1	Early Golden Bush Scallop. Fine for summer use, not as early as the White	pkt.	oz.	14 1b	1h
6	Early White Scallop Bush. A good early shipping variety, best scallop		10	20	60
_	Golden Summer Crookneck One of the very best summer squashes				60
V	Golden Summer Grookneek One of the very best summer squasnes	05	IO	20	00
Berei	Egg Plant Bush Squash. A white fleshed bush variety, oval in shape; suitable for frying like Egg Plant	05	10	20	60
8	Early Orange Marrow. An improved Boston Marrow; quite distinct, very early,				
	and of most delicious flavor; suitable for fall or winter	05	IO	20	60
V	Boston Marrow. Oval, bright orange, flesh yellow and fine	05	Io	20	60
V	Hnbbard. Well known and liked for late use; of superior quality	· o5	IO	25	80
V	Warty Hubbard. More warty, harder shell, better keeper, true stock	<b>o</b> 5	10	25	80
V	Red or Golden Hubbard. Fine reddish or golden color, large size, fine quality	05	10	25	80
W	The Faxon. Medium size, very early and productive; orange flesh of fine quality	<b>o</b> 5	10	25	75
V	Turban. Orange yellow flesh of good flavor	о5	10	20	60
V	Bay State. With hard, blue shell; for fall and winter	05	10	20	60
V	Pike's Peak or Sibley. Thick, bright orange flesh, fine winter sort	05	10	20	60
10	Essex Hybrid. A good fall and winter sort	05	IO	20	60
P	Marblehead. Resembling the Hubbard, but has gray skin	05	IO	20	60
2	Perfect Gem. Round, white, fine quality, productive, good either for fall or winter	о5	10	20	60
P	Fordhook. One of the best winter squashes; fine quality, bright yellow	05	10	20	60
6	Pineapple. Peculiar shape, white skin and flesh; fine late sort	05	10	20	60
-	Canada Crookneck. Small, well known winter sort, green skin	<b>o</b> 5	IO	20	60
. /	Mammoth Chili. Grows to an enormous size; rich, orange yellow	05	Io	20	60

#### **SPINACH**


CULTURE—Sow in early spring, in drills a foot apart, every two weeks for a succession, and as it grows thin out for use. For fall use, sow in August, and for winter crop in September. Cover that which is left out over winter with straw or leaves, after the weather becomes quite cold. Keep clear of weeds. Sow the seed of New Zealand (which must be scalded and soaked in hot water before sowing) in hills three feet apart each way, three or four seeds in a hill. This is fit for outting all summer.

	pkt	oz.	1/4 lb	1b
Viroflay Thick Leaved. Has very large and thick leaves	\$ 05	\$0.10	\$0 15	\$0 25
Lettuce Leaved. Popular French sort.	05	05	IO	25
Curled-Leaved Savoy or Bloomsdale. Large, tender leaves, fine				<b>2</b> 5
Long-Standing Round Thick Leaved. dark green, very long standing				
before running to seed	05	05	IO,	. 25
/ Prickly. Vigorous and hardy	05	05	IO	25

#### TOMATO

#### Ripening in from 85 to 120 days.

CULTURE—Sow in hot bed in early spring or the seed may be sown in shallow boxes and placed in a window when one does not wish to have the trouble of making a hot bed. Transplant to the open ground when all danger of frost is past, setting the plants three or four feet apart each way. Some support should



always be provided for the vines, to keep the fruit from touching the ground. Fruit may be had several weeks earlier by sowing the seed quite early, and transplanting to small pots; when these are filled with roots shift to a larger size, and transplant to open ground when the weather is warm and settled, shading from the sun for a day or so. As the roots are not disturbed in taking plants from the pots, the

turbed in taking plants plants suffer no check, but			_	, the
	Ŭ	oz. 1/4		nor Ib
Matchless. Extra large	)E.U. I	02, 74	10	ber in
smooth and handsome;				
bright red, very solid \$	05 \$	20 \$	50	\$1 75
Ponderosa. The larg-				
est variety in cultiva-	_	2- 1		
tion	5	35 1	00	3 00
Ignotum. Very prolific, earliest of the				
large, deep red, smooth				
varieties	5	20	60	2 00
Volunteer. Moderately early; productive and of fair size; bright red	5	20	60	2 25
Dwarf Champion. Quite distinct in foliage and habit of growth, being compact and				
upright; fruits early and resembles the Acme in appearance	5	20	50	I 75
Cardinal. Bright, glossy, smooth and solid; good size	5	20	50	1 75
Atlantic Prize. The earlist of all; smooth, bright red and solid	5	20	50	1.75
Perfection. (Livingston). Early, regular and productive; red, heavy cropper	5	20	50	I 75
Favorite. (Livingston). Large, smooth; productive and a good shipper	5	20	50	1 75
Beauty. (Livingston). Large, smooth, pinkish red, thick flesh, regular form.	5	20	50	I 75
Stone. (Livingston). Very large, perfectly smooth, fine bright scarlet; best main crop	5	20	50	· 1 75
Acme. Medium, red, smooth and good; one of the best earlies	5	20	50	· I 75
Early Advance. Bright red, medium sized, smooth, solid, very early	5	20	60	2 00
Turner's Hybrid or Mikado. Very large, smooth, solid; skin purplish red	5	20	60	2 25
Royal Red. A first class main crop variety; skin and flesh intense red color	5	20	60	2 25
Trophy, Large. Very solid: standard late sort, grown extensively for canning	5	20		I 75
Conquerer. Very early, fruit of medium size	5	20	60	2 25
Yellow Plum. Round and regular, bright yellow; used for pickles	5	20	60	2 25
Peach. Resembles a peach; for preserves, pickles and exhibition; quality excellent.	5	20	60	2 25
Yellow Peach. Very handsome in form, and of a beautiful clear yellow color; is	_			
useful to contrast with other sorts	5	25		2 50
Red Cherry. Fruit about an inch in diameter, in bunches; used in pickles	5	25	75	2 50
Yellow Cherry. Similar to preceding, save in color	5	25	75	2 50
Red Pear-Shaped. Fruit of peculiar shape, handsome and solid	5	25	75	2 50
Upright Station Tree. The earliest of all to ripen a small part of its fruit; it grows in a compact manner, and is well adapted to pots	5	25	80	3 00
♥ Ground Cherry. (Husk Tomato). Small and ornamental fruit, used for preserves	5		*	2 25
Golden Queen. Large size handsome, very smooth, good quality	5	20		2 25
Golden Trophy. Similar to the Red Trophy	5			2 25
Tree Tomato.	5			3 50
		-		

#### TURNIP.

Mature in 60 to 90 days.

Culture. For early turnips sow as soon as ground opens in the spring. The Milan and Munich should be sown from any time in July to first of August; but the other kinds for winter use may be sown from middle of July to end of August. Turnips are generally sown broadcast, but much larger crops are obtained) darticularly



PURPLE-TOP STRAP LEAF.

of the Ruta Bagas) by cultivating in drills eighteen inches apart and thinning to six inches in the drill. Sow one pound to the acre.

Will six of the second		oz.	14 lb.	1 lb
Early Milan. Earliest of all;				
with purple top	\$ 05	\$ 10	\$ 20	\$ 60
Purple Top Munich. One				
of the earliest	05	10	20	60
White Egg. Oval, hand-				
some and sweet	05	10	20	45
Early Dutch. Rather flat;				
good white early sort	05	10	20	45
Cow Horn. Early and good;				
shaped like a Nantes carrot.	05	0.1	20	45
Red or Purple Top Strap				
Leaf. The popular flat fall				
sort; sweet, firm and mild	05	IO	20	45
Purple Top White Globe.				
PURPLE-TOP STRAP LEAF. A standard sort in the New				
York market; nothing better,	05	10	20	45
White Norfolk. Globular, late, solid, very arge, fine for stock.	05	IO	20	45
White Strap Leaf Flat. A good early white flat sort	05	IO	20	45

	pkt	oz.	¾ lb.	1 lb
Yellow Globe. Good and sweet; keeps fairly.	,			
well	\$ 05	\$ 10	\$ 20	\$ 40
Yellow Stone. Fine hard winter sort	05	. 10	20	40
VGolden Ball or Orange Jelly. Very hand-				
some; keeps fairly well	05	10	20	40
Sweet German. White, hard, firm, sweet;				
must be sown early; partakes of the nature of				
Ruta Baga	05	10	20	40
Yellow Aberdeen. Hardy, productive and				
a good keeper	05	10	20	40

#### RUTA BAGA OR SWEDISH TURNIP.

	Per oz.	1/4 lb.	Per	lb.
Monarch. Distinct in form; a grand good		/-2		
variety; very large yielder; grows mostly above				
ground; flesh rich yellow	\$ 05 \$	10 \$	20 \$	45
Improved American Purple Top. Very				
hardy variety, flesh yellow' sweet and well fla-				
vored; deep purple; has but little neck	05	15	20	45
Carter's Imperial Hardy. A purple topped				
variety, growing to a large size; single top root;				
good flavor	05	10	20	45
White Swede or Russian. Excellent va-				
riety for either table or stock; white flesh; fine				
flavor, good keeper	05	10	20	45



MONARCH.



#### AROMATIC, MEDICINAL AND POT HERBS.

#### GENERAL CULTURAL DIRECTIONS.

OST of the varieties thrive best on rich sandy soil, which should be carefully prepared and well cultivated, as the young plants are for the most part delicate and easily choked out by weeds. Sow as early as the ground can be made ready, in drills sixteen to eighteen inches apart, taking pains that the soil is fine and pressed firmly over the seed, or they may be planted as a second crop, the seeds sown in beds in April and the plants set out in June. Most of them should be cut when in bloom, wilted in the sun and thoroughly dried in the shade.

Anise. A well known annual herb whose seeds, which have an agreeable aromatic odor and taste, are used for dyspepsia and colic and as a corrective of griping and unpleasant medicines. Sow early and thin to three inches apart in the row. Oz. 10c, 4 lb. 30c, lb \$1.00.

Balm. A perennial herb, easily propagated by division of the root or from seed. The leaves have a fragrant odor, similar to lemons, and are used for making balm tea for use in fevers, and a pleasant beverage called balm wine. Plant early and thin to ten inches apart. Oz. 25c, 1/4 lb. 75c, lb. \$2.50.

Basil, Sweet. A hardy annual from the East Indies. The seeds and stems have the flavor of cloves and are used for flavoring soups and sauces. Oz. 15c ½ lb. 40c, lb. \$1.50.

Caraway. Cultivated for its seed, which is used in confectionery, cakes, etc. The leaves are sometimes used in soups. If sown early in August the plants will give a fair crop of seed the next season, but when sown in the spring will not seed until the next year. Plant in drills two or three feet apart and thin to six inches apart in the row. Oz. 10c, 1/4 lb. 25c, lb. 75c.

Caraway for Flavoring. Oz. 10c, 2 oz, 15c, ½ lb. 20c, lb 50c.

Cat Mint, or Catnip. A hardy perennial, well known as a valuable mild nervine for infants. The plants should be pulled up by the roots when in full flower and dried in the shade. The seed may be sown either in the fall or early spring, in drills twenty inches apart. Oz. 30c, ½ lb \$1.00, lb \$3.00.

Coriander. A hardy annual, cultivated for its seed, which has an agreeable taste, and is used in confectionery and to disguise the taste of medicine. Sow early in the spring and gather on a dry day, bruising the stems and leaves as little as possible. Cz. 10c, ½ lb. 25c, lb 75c.

Coriander for Flavoring. Oz. 10c, 2 oz. 15c 1/4 lb. 20c, lb. 75.

Dill. An annual, cultivated for its seed, which has an aromatic odor and a warm, pungent taste. It is good for flatulence and colic in infants and is som

times added to pickled cucumbers to heighten the flavor. Sow early in spring and keep clear of weeds. Oz. 10c, 1/4 lb. 20c, lb 60c.

Marjoram, Sweet. A perennial plant, but not hardy enough to endure the winter of the North. The young tender tops are used green for flavoring, or they may be dried for winter use. Sow in drills as early as possible, and thin out the plants to ten inches apart. Oz. 15c, ½ lb 4oc, lb \$1.25.

Rosemary. A hardy perennial, with fragrant odor, and a warm, bitter, aromatic taste. May easily be raised from seed, but does not reach a size fit for use until the second season. The dry leaves deteriorate rapidly with age. Oz. 40c, 1/4 lb \$1.25, lb \$4.00.

Rue. A hardy perennial with a peculiar smell. The leaves are bitter and so acrid as to blister the skin. It is a stimulant and anti-spasmodic, but must be used with great caution, as its use sometimes results in serious injury. It must not be suffered to run to seed, and does best on poor soil. Oz. 15c. 1/4 lb 40c, lb \$1.50.

Saffron. A hardy annual from Egypt that has become naturalized in many parts of the country; cultivated for its flowers, which are used in dyeing and to make the cosmetic powder called *rouge*. Oz. 20c, ½ 1b 60c, lb \$2.00.

Sage. A hardy perennial, possessing some medicinal properties, but cultivated principally for use as a condiment, it being used more extensively than any other herb for flavoring and dressing. Sow early in spring (four to five pounds per acre in drills) on very rich ground; cultivate often and thin the plants to sixteen inches apart. Oz. 15c, ½ lb 4oc, lb \$1.25.

Summer Savory. A hardy annual, the dried stems, leaves, and flowers of which are extensively used for flavoring, particularly in dressings and soups. Culture the same as that of Sweet Marjoram. Oz. Ioc, ½ lb 3oc, lb \$1.00.

Thyme. This herb is perennial and is both a medicinal and culinary plant. The young leaves and tops are used for soups, dressing and sauce; a tea is made from the leaves, which is a great remedy in nervous headache. Sow as early as the ground will permit. Oz. 20c, 1/4 lb 60c, lb \$2.00.

### SWEET PEAS

Our Sweet Peas are unsurpassed for purity of Strain, nothing better in the U.S. They have given wonderful satisfaction the past year. If you buy ours you buy the best.

The following varieties are selected with a view to please the most critical, and we think are the CREAM OF THE LIST of Sweet Peas.

#### LIGHT SHADES OF PINK.

Duchess of York. Standard and wings large and of fine form. White overlaid with a lacing of exceedingly delicate pale pink.

Eliza Eckford. Large flower of rosy plnk over white, giving an exceedingly delicate and beautiful effect,

Katharine Tracy. The color is soft but brilliant pink, of the same shade in wings.

Lovely. A delicate shell pink tinged with yellow, producing a very warm, soft color of exceeding beauty.

Prima Donna. The stems bear three or four very large perfect flowers, of a brilliant, yet soft shade of pink.

Ramona. Large, finely formed flower; standard and wings white, but nearly covered with a very warm pink in small dots and shades.

Venus. Standard large, of fine form and substance; a brilliant but delicate and soft shade of warm rose-pink and buff.

#### DARKER SHADES OF PINK.

Apple Blossom. Standard rose-pink, lighter at the edges; wings lighter than standard.

Her Majesty. The flowers are very large, a delicate rosepink color.

Lady Mary Currie. A large, well-formed flower of brilliant orange-pink color.

Ovid. A good sized, hooded flower of bright pink overlaid with a darker shade.

Lady Penzance. A large and striking flower of a peculiar and beautiful shade of rose-pink, with a slight tinge of orange.

Peach Blossom. A very large flower, having a warm yellowish-pink standard and wings of a lighter, softer shade.

Royal Rose. One of the largest and finest formed flowers yet produced. Standard a deep rose pink.

Rod or rose standards with lighter wings.

#### SHADES OF RED.

Blanche Ferry. Standard medium sized, but of fine form and bright pink color; wings large, rounded and nearly white.

Brilliant. Flower of good size and substance, color very brilliant rich red.

Firefly. Very bright, and intense crimson scarlet, of good size and form.

Mrs. Dugdale. A large, finely formed

Mrs. Dugdale. A large, finely formed flower of a peculiar shade of primrose overlaid with crimson rose.

Salopian. One of the most brilliant and most richly colored sorts yet introduced.

#### CLARET AND MAROON.

Duke of Clarence. A fine flower, with large standard and wings of uniform shade of dark claret.

Monarch. Standard large, fine form, violet maroon, wings very large and expanded

Shahzada. This has a very rich, dark maroon standard and deep violet wings; one of the finest dark sorts.

#### LAVENDER AND LIGHT BLUE.

Countess of Radnor. Self colored in a very distinct and beautiful shade of lavender.

Dorothy Tennant. Flowers warm violet or mauve, very large and finely formed.

Lady Grisel Hamilton. A large flower similar in color to Countess of Radnor, but nearly blue.

Lottic Eckford. Standard a peculiar and delicate shade of magenta blue.

Maid of Honor. Medium sized flower, nearly white, having a distinct edging of blue.

#### BLUE AND PURPLE.

Black Knight. The darkest variety.

Countes of Cadogan. A variety having very long stems

Captain of the Blues. Standard large, broad, bright purple blue; wings expanded, lighter and brighter blue than standard.

Navy Blue. A true blue, quite distinct.

#### WHITE.

Blanche Burpec. A splendid pure white variety. While not so profuse a bloomer or as hardy a plant as the Emily Henderson, the individual flowers are so fine as to make it a most desirable sort.

Emily Henderson. A bold, well formed, clear white flower Wings broad and well expanded. An early and wonderfully free and persistent bloomer.

The Bride. The flowers are practically the same as the Bianche Burpee, but the stems are more slender.

#### LIGHT YELLOW.

Primrose. Standard medium sized, rather long, yellowish white in front, and pronounced primrose-yellow on the back.

Stella Morse. The large flowers of this variety are of the finest form and a peculiar warm salmon-pink.



Coquette. Large, finely formed flower. Standard warm primrose with a shade of purple.

Oriental. The large, finely formed flowers are a distinct bright orange of a very brilliant and striking shade.

#### STRIPED OR VARIEGATED.

America. White, nearly covered with splashes, stripes and dots of exceedingly bright carmine; the most brilliant of the red striped sorts.

Aurora. The standard and wings are striped and flaked with delicate orange-salmon, pink over white.

Gray Friar. Very large, finely shaped flowers of delicate heliotrope color, peculiarly tinged, marbled and dotted with darker shade.

Juanita. Large and splendidly formed; white, with stripes and dashes of delicate lavender.

#### SWEET PEAS-CONCLUDED

Irs. Joseph Chamberlain. Very large and perfect shaped flowers; white, striped with bright rose carmine.

Princess of Wales. Standard broad, flat, striped purple on nearly white ground; wings very large and lighter than standard.

#### Mixtures of Sweet Peas

CHOICE MIXED. One of the most satisfactory ways of growing sweet peas is in a mixed row. Many new combinations are obtained by cross-fertilization and if good varieties are planted the result is sure to be satisfactory. Our Choice Mixture has no superior; it is not composed of refuse stocks but contains the finesf known American kinds.

Eckford's Hybrids, Mixed. This is made up of the best of Eckford's large flowering sorts carefully propor-tioned. As only Eckford's varieties are used in this mixture, some of our very best sorts are necessarily ex-cluded; but it will give large, finely formed flowers in a great variety of beautiful colors.

#### **Cuvid** Sweet Peas

Alice Eckford Cupid. This is a distinct Cupid or dwarf variety; the flowers have a pecularily delicate beauty. Beauty Cupid. An exceedingly eauty Cupid. An exceedingly large and perfectly formed flower of a beautiful rose color shaded with car-

mine

Pink Cupid or Dwarf Blanche Ferry. This sort originated as a direct sport from the unrivaled Blanche Ferry and has inherited all the good qualities which make that sorts o deservedly popular. The seeds are dark, and of much stronger vitality than those of the White Cupid so that every one can succeed with it.

Primrose Cupid. Very similar in size and form of plant and flower to the original White Cupid.

White Cupid. The flowers of this variety are large, clear white and of fine form.

Boreatton Cupid. A dark and rich colored maroon. Firefly Cupid. Very bright, and intense crimson scarlet Cupid Mixed. This mixture is composed of choice shades of white, yellow and reds, from light rose to deep scarlet and maroon.

#### PRICES ON SWEET PEAS

Named Varieties. As above\$ 05 \$ 10 \$ 20	
Fancy Mixed. Made up by us from the above fifty-three varieties 05 10 20	
Finest Mixed. As grown in the field	
Eckford's Hybrids, Mixed of 10 20	
Cupid Sweet Peas, Mixed	60

The Fancy Mixed that we make up from the fifty-three varieties, as described above, is so mething superb and charming, and will please the most fastidious.



#### MILLET

We are headquarters for Millets of all kinds and grades. We carry the largest stock in the northwest. Our facilities for recleaning are unsurpassed.

#### TENNESSEE GERMAN

Every year we bring the purest strains of German Millet from Tennessee. Farmers who wish to sow Millet for seed to sell should use only this pure Tennessee German. It's worth from 40 to 50 cents per 100 pounds more on the market than seed from northern Millet.

#### **RED-SEEDED GERMAN**

If you want Millet for home use, either for forage or to feed the seed there is no Millet equal to the Red-Seeded German. It is a species of the German Millet brought a few years ago into the northwest under the name of Siberian. It not only possesses all the good qualities of the ordinary white seeded German

variety of Millet, but is in almost every particular, its superior. In the heighth of growth it is about the same and heads out exactly the same head that the other does, but owing to the dense growth of leaves on the stalk, out-yields the white seeded variety in tons of better quality hay to the acre.

Cattle and Herses fed on it thrive and grow fat, and are never troubled with the kidney affection so often caused by feeding other sorts of Millet hay. Farmers and stock men who have fed the seed of this red seeded variety of German Millet to their horses cattle, hogs and fowls for several years claim positively that t is almost the equal to corn in its fattening qualities.

Milch Cows when fed on the ground feed of the seed give both a better quality and larger quantity of milk than from ordinary ground feed without this seed.

Hogs-Some time ago there was shipped to the St. Paul stock yards a car of hogs from North Dakota that were raised, fed and fattened on seed of this red-seeded variety of German Millet, and had never been fed any other grain. This load of hogs was pronounced the finest that had ever reached that market, and took the top price.

Chickens raised and fed on it thrive and keep well, and diseases like cholera never devestates the farm yard of the fowls where this seed is fed.

We are always in the Market for Millet, Clover, Timoty, etc., etc. If you have any to offer please mail us a good sized sample and we will make you a price.

## Grass and Field Seed Department



BLUE GRASS


to enter into an extended description of this branch of our business. In brief we only wish to say that at all seasons of the year we are prepared to furnish as choice a line of *Grass Seeds* and *Field Seeds* as any market in the west. With our superior milling facilities we are prepared to reclean and grade all classes of seeds and put them on the market in the very best shape.

## There are no Seeds offered that are freer from foul seeds than ours


Our prices will be found as low as any in the northwest

Don't fail to read page 32 on the wonderful new variety of Millet

Have your Grass and Field Seed merchant write for our prices



BROMUS INERMIS



RED TOP

Clovers, Alfalfa, Alsyke,
Timothy, Blue Grass,
Red Top,
Bromus Inermis,
Orchard Grass,
all kinds Millet,

Etc. Etc.

-WE CARRY-

WE WANT TO BUY anything in the above line you have to offer. Send us a good sized sample by mail and we will make you the highest market price.


### LAWN GRASS

#### Emerald Green Grass Mixture

60 pounds seed to the acre

#### For Parks, Golf, Croquet and Tennis Grounds, Cricket and Athletic Fields

Our Lawn Grass Mixture which we offer should not be compared with the cheaper preparations advertised. Our prescription is of the best chosen varieties as respects color, texture and permanency, and will be found clear of weed seeds. Anyone who purchases cheap, badly mixed lawn grass seed will soon realize that it was a poor investment, as the error will stand out for years in glaring ugliness.



#### FORMATION OF LAWNS FROM SEED

In the first place, see that your ground is thoroughly drained and well prepared, sowing at least three bushels of seed to the acre.

Perhaps the best description of soil for lawn is the stiff loam or clayey soils which predominate in so many districts. This ought not to be by any means too rich, as a rapid growth is not wanted in the grasses of a lawn, but in preparing it for laying down let the surface be as much alike in quality as possible, and do not stint the quantity of seed.

If your ground is in condition to raise a good crop of potatoes it will make a good lawn; add about half a ton of bone dust to the acre, harrowing it before sowing the seed. The success of establishing a good lawn depends much on the season and the condition of the ground at the time of growing. A very slight raking-in will protect the seeds much, or a sowing of wood ashes will render them distasteful to birds. Rolling, however, is at all times indispensible.


The best time to sow lawn grass seed is early in the spring, say February or March, or about the latter part of August. We prefer the early spring.

It is proper here to observe that no lawn can be maintained long in good order without successive rollings. Mowing alone will net secure a good bottom without that compression which the roller tends to give. The rolling should be done in the spring before the ground becomes dry.

#### TO GRASS A BANK OR TERRACE

For each square rod take a pound of lawn grass seed and mix it thoroughly with six cubic feet of good, dry garden loam. Place in a tub and add liquid manure, diluted with about two-thirds of water, so as to bring the whole to the consistency of mortor. The slope must be made perfectly smooth and then well watered, after which the paste should be appled and made as even and as thin as possible.

Price of Lawn Grass Mixture,  $\frac{1}{2}$  lb. 10 cts;  $\frac{1}{2}$  lb. 15 cts; 1 lb. 25 cts; five lbs. \$1.00.





A GIGAR THAT NEEDS NO BILLBOARD IT'S A SELF ADVERTISER. ADVERTISING.

THE SMOKER finds that it always smokes FREE and when he has one in his mouth it looks like and smells like a much higher priced cigar. and unlike anything else in his case. THE MONOGRAM Cigar is unlike THE RETAILER finds it something new any other 5 & Cigar.

MEN ONLY & OF THE YERY FINEST STOCK. MEKEE & POTTER .-

- THE MONOGRAM

### VALUABLE TABLES.

#### CENTAL SYSTEM TABLES.

Some few years ago the seed merchants of the United States and Canada adopted the system of selling and buying grass and many kinds of field seeds by the 100 pounds instead of by the bushel weight. For the convenience of customers we give the following table, showing the number of standard bushels in 100 pounds.

Standard Weights of Various Articles.

	lbs. per bu.		bus,	lbs.		lbs per bu.		bus,	lbs.
Barley	48	100 lbs	2	4	Johnson Grass	25	100 lbs	4	-
Beans	60	44	1	40	Millet		4.6	2	
Buckwheat		4.5	5	4	Malt		6.6	2	24
Broomcorn	46	4.6	2	8	Oats	32	10	3	4
Blue Grass, Kentucky	14	2.0	7	2	Osage Orange		6.6	3	1
Blue Grass, English	24	4.5	4	4	Orchard Grass	14	4.6	7	2
Cane Seed	50	6.6	2	-	Onions	54	6.6	I	46
Canary Seed		6.6	1	40	Peas wrinkle	56	4.6	1	44
Caster Beans	46		2	8	Peas smooth	60	6.6	1	40
Clover		- 61	1	40	Rape	50	6	2	
Corn Shelled	56	*1	1	44	Rye	56	. 4.	1	44
Corn on ear		4.6	1	30	Red Top	14	6.	7	2
Corn sweet	46 to 48	6.6	2	4	Sweet Potatoes	56	. 1	1	- 44
Corn meal	50	6.6	2		Timothy Seed	45	64	2	10
Cranberries	40	0.6	2	20	Turnips	.58	a. 6	1	42
Flax Seed		+6	1 -	44	Wheat	60	6.6	1	40
Hemp Seed	44	45	2	12	Tall Meadow Oat Grass		6.6	8	4
Hungarian	48	4.5	5	4	Lawn Grass		6.5	7	2
Irish Potatoes	60	4.6	1	40	Pasture Grass Mixture	14	45.	7	2

#### Quantity of Seed Usually Sown Per Acre.

Quu	illity of occu os	dully down i of Autor	
Ambor Sugar Cane		Grass, Mixed Lawn	3 bu.
Ash		Mustard, broadcast	
Barley, broadcast	2 to 3 bu.	Melon, Musk, in hills	
Beans, dwarf, in drills	1½ bu	Melon, Water. in hills	
Beans, pole, in hills	10 to 12 qts.	Millet, broadcast	
Beets in drills		Oats, broadcast	
Box Elder		Onion, in drills	
Black Walnuts		Onion, for sets, in drills	30 lbs.
Broom Corn. in hills		Onion Sets, in drills	
Buckwheat	I bu.	Parsnips, in drills	4 to 6 lbs.
Cabbage, in beds to transplant		Peas, in drills	
Carrots in drills	3 to 4 lbs.	Peas, broadcast	3 bu.
Clover, Red alone	8 to 10·lbs.	Potatoes, (cut tubers)	10 bu.
Clover. White, alone		Pumpkin, in drills	
Clover, Alsike, alone		Radish, in drills	
Clever, Luceins or Alfalfa	20 lbs.	Rye, broadcast	
Corn, in hills	8 to 10 qts.	Sage, in drills	8 to 10 lbs.
Corn, for soiling	3 bus-	Salsify, in drills	8 to 10 lbs-
Cucumbers, in hills	21bs.	Spinach, in drills	
Flax, broadcast		Squash (bush sorts), in hills	4 to 6 lbs-
Hemp		Squash (running sorts) in hills	3 to 4 lbs.
Grass, Kentucky Blue	2 to 3 bu.	Tomato, to transplant	
Grass, Orchard		Turnip. in drills	1½ to 2 lbs.
Grass, English Rve	2 bu-	Turnip, broadcast	
Grass, Fowl Meadow	2 bu.	Timothy, alone	
Grass, Red Top	2 to 3 bu.	Vetches, broadcast	
Grass, Timothy	½ bu.	Wheat, broadcast	
Grass, Hungarian	1 bu.		

#### Quantity of Seed Required for a Given Number of Plants, No. of Hills or Length of Drills.

		9
1 oz. to 60 feet of drill	Melon, Musk	1 oz. to 60 hills
1 oz. to 50 feet of drill	Okra	l oz, to 40 feet of drill
1 au. to 100 feet of drill	Onion	1 oz. to 100 feet of drill
1 at to 150 hills		
I oz. to 150 feet of drill	Parselev	l oz. to 150 feet of drill
1 oz. to 2,000 plants		
loz. to 2,000 plants	Peas	qt. to 100 feet of drill
	Pumpkin	1 oz. to 40 hills
	Radish	1 oz. to 100 feet of drill
1 oz. to 200 feet of drill	Salsify	l oz. to 70 feet of drill
	Spinach	oz, to 100 feet of drill
1 oz. to 150 feet of drill	Squash early	1 oz. to 50 hills
1 oz. to 100 feet of drill	Squash, Marrow	l oz. to 16 hills
1 oz. to 3 000 plants	Temate	1 cz. to 1,500 plants
1 oz to 30 hills	Turnip	l oz. to 150 feet of drill
	1 oz, to 60 feet of drill 1 oz. to 50 feet of drill 1 qu. to 100 feet of drill 1 qt to 150 hills 1 oz. to 150 feet of drill 1 oz. to 2,000 plants 1 oz. to 2,000 plants 1 oz. to 5,000 plants 1 oz. to 50 hills 1 qt, to 200 hills 1 oz. to 1,000 plants 1 oz. to 1,000 plants 1 oz. to 1,000 plants 1 oz. to 100 feet of drill 1 oz. to 300 plants 1 oz. to 300 plants	1 oz. to 50 feet of drill   Okra   Onion     1 qu. to 100 feet of drill     1 oz. to 150 feet of drill     1 oz. to 2,000 plants   Parselev     1 oz. to 2,000 plants   Peas     1 oz. to 50 hills   Pepper     1 qt. to 200 hills   Radish     1 oz. to 2000 plants   Salsifv     1 oz. to 1000 plants   Squash early     1 oz. to 100 feet of drill     1 oz. to 3 000 plants   Cypash     1 oz. to 100 feet of drill     1 oz. to 3 000 plants   Cypash     1 oz. to 100 feet of drill     1 oz. to 100 feet of drill     1 oz. to 100 feet of drill     2 c. to 100 feet of drill     3 c. to 100 feet of drill     4 c. to 100 feet of drill     5 c. to 100 feet of drill     6 c. to 100 feet of drill     7 c. to 100 feet of drill     8 c. to 100 feet of drill     9 c. to 100 feet of drill     9 c. to 100 feet of drill     1 c. to 100 feet of drill     2 c. to 200 feet of drill     3 c. to 100 feet of drill     4 c. to 100 feet of drill     5 c. to 100 feet of drill     6 c. to 100 feet of drill     7 c. to 100 feet of drill     8 c. to 100 feet of drill     9 c. to 100 feet of drill     1 c. to 100 feet of drill     1 c. to 100 feet of drill

#### Maturity Table

	Davs	Day	15
Beans, Dwarf Green, podded, table use	30 to 50	Corn, Sweet, early varieties, for table	65
Beans, Dwarf Wax, table use	35 to 50	Corn, Sweet, late varieties, for table	80
Beans, pole or running, table use	45 to 90	Cucumber, for table 40 to	60
Beets garden varieties, table use	35 to 50	Lettuce for table 40 to	50
Beets, Mangles, for harvesting		Melon, Musk. for table 60 to	85
Beets, Sugars, for harvesting	65 to 70	Melon, Water, for table 65 to	85
Cabbage, early varieties, for cutting	65 to 80	Onion, for storage 65 to	120
Cabbage, late varieties for cutting	100 to 120	Peas, for table 50 to	70
Carrot, for table	60 to 70	Pumpkin, ripened	100
Celery, for table	120 to 140	Radish, for table	50
Corn, field, early varieties, ripened	85 to 95	Tomato, for table 91, to	1(11)
Corn, field, late varieties, ripened	100 to 120	Turnip, for storage 60 to	90

## Ottumwa Seed Company,

Ottumwa, Jowa.

#### DWARF ESSEX RAPE.

Don't fail to sow some for your Hogs or Sheep. If you have a field that is so poor it won't grow anything, plow it up and sow it to Rape. Plow it under when it is knee high, then sow it to Turnips. The next year you can raise a good crop of corn or small grain. Try it. Sow 6 lbs. to the acre. 6 lbs. for 50c., or in large lots, 7c. per lb.



#### CANADA FIELD PEAS.

If you want the best milk producing hay, sow one-half bushel Canada Field Peas to the acre with Oats, and cut when Oats are just a little green. You will get a better flow of milk and more butter than with any other dry feed, besides your cows will keep fat and sleek all winter. Try a few acres. With our high priced land we must change our methods or we don't make the interest

385

38%